

ACCESSORIES

ABRASIVES WHEELS	38	DIAMOND WHEELS	44
BLADES	33	DRILLING	26
Band Saw Blades	34	FASTENING	22
Circular Saw blades	35	HOLE SAWS	32
Hack Saw Frame & Blades	34	MASONRY DRILLING	29
Jig Saw Blades	34	NAILS	36
Miter Saw blades	36	SANDPAPER	37
PVC Saw & Blades	34	WORKSITE STORAGE	37
Reciprocating Blades	33		

TIPS (ease of use)**CLICK:**

- Index Item – takes you to that exact product
- Right Edge – to go to next page
- Left Edge – to go to previous page
- Center – to go back to Index

1" SCREWDRIVER BIT TIPS



CAT #	DESCRIPTION	QTY	CAT #	DESCRIPTION	QTY	CAT #	DESCRIPTION	QTY
⊕ 1" Phillips Bit Tips			⊕ 1" Drywall Bit Tips (Reduced Diameter) (cont.)			□ Square Recess Bit Tips (continued)		
DW2001	#1 Phillips	2	DW2004BL	#2 Drywall	100	DW2200	#2 Square Recess	25
DW2001BL	#1 Phillips	100	DW2125	#2 Drywall - 25 Pack	25	DW2202BL	#2 Square Recess	100
DW2002	#2 Phillips	2	DW2105CS	#2 Drywall - clipstrip	5	DW2202B10	#2 Square Recess - Bag	10
DW2002-10	#2 Phillips	10	DW2125CS	#2 Drywall - 25 Pack - clipstrip	25	DW2203	#3 Square Recess	2
DW2002BL	#2 Phillips	100	⊕ 1" Deck Bit Tips			DW2203BL	#3 Square Recess	100
DW2002B10	#2 Phillips - Bag	10	DW2025	Deck	3	⊕ Torx® Bit Tips		
DW2002DE	#2 Phillips Double Ended - IMPACT READY™	2	⊖ 1" Slotted Bit Tips			DW2610B	T10 Torx®	50
DW2002DEBL	#2 Phillips Double Ended	100	DW2006	#6 Slotted	2	DW2615B	T15 Torx®	50
DW2602	#2 Phillips Square Drive	2	DW2008	#8 Slotted	2	DW2620B	T20 Torx®	50
DW2003	#3 Phillips	2	DW2008BL	#8 Slotted	100	DW2625B	T25 Torx®	50
DW2003BL	#3 Phillips	100	DW2010	#10 Slotted	2	DW2627B	T27 Torx®	50
DW2002B30	#2 Phillips - Bit Box	30	DW2010BL	#10 Slotted	100	DW2630B	T30 Torx®	50
DW2002X10	#2 Phillips - Bit Box	10	DW2012	#12 Slotted	2	DW2640B	T40 Torx®	50
DW2002B25	#2 Phillips - Bit Box	25	□ Square Recess Bit Tips			6 in 1 Driver Bit Tips (Double Ended-Replacement)		
DW2002DEX15	#2 Phillips Double Ended - Bit Box	15	DW2201	#1 Square Recess	2	DW2326	PH#2/SQ#2 - PH#3/SL#10	1
⊕ 1" Drywall Bit Tips (Reduced Diameter)			DW2201BL	#1 Square Recess	100	DW2327	PH#3/SL#8 - SQ#1/SQ#2	1
DW2105	#2 Drywall	5	DW2202	#2 Square Recess	2	DW2328	T#15/T#20 - PH#1/SL#6	1

POWER BITS



CAT #	DESCRIPTION	QTY	CAT #	DESCRIPTION	QTY	CAT #	DESCRIPTION	QTY
⊕ 1" Phillips Power Bits			⊖ Slotted Power Bits			□ Square Recess Power Bits		
DW2021	#1 Phillips 2"	1	DW2015	#6 Slotted 2"	1	DW2233	#3 Square Recess 3-1/2"	1
DW2022	#2 Phillips 2"	1	DW2016	#8 Slotted 2"	1	DW2261	#1 Square Recess 6"	1
DW2115	#2 Phillips 2" (multi-pack)	5	DW2017	#10 Slotted 2"	1	DW2262	#2 Square Recess 6"	1
DW2022B	#2 Phillips 2"	100	DW2036	#6 Slotted 3-1/2"	1	DW2263	#3 Square Recess 6"	1
DW2023	#3 Phillips 2"	1	DW2038	#8 Slotted 3-1/2"	1	⊕ Torx® Power Bits		
DW2023B	#3 Phillips 2"	100	DW2040	#10 Slotted 3-1/2"	1	DW2645B	T10 Torx® 2"	50
DW2031	#1 Phillips 3-1/2"	1	DW2042	#12 Slotted 3-1/2"	1	DW2648B	T15 Torx® 2"	50
DW2032	#2 Phillips 3-1/2"	1	DW2064	#6 Slotted 6"	1	DW2660B	T20 Torx® 2"	50
DW2033	#3 Phillips 3-1/2"	1	DW2065	#8 Slotted 6"	1	DW2665B	T25 Torx® 2"	50
DW2061	#1 Phillips 6"	1	□ Square Recess Power Bits			DW2670B	T30 Torx® 2"	50
DW2062	#2 Phillips 6"	1	DW2211	#1 Square Recess 2"	1	DW2680B	T40 Torx® 2"	50
DW2063	#3 Phillips 6"	1	DW2211B	#1 Square Recess 2"	100	DW2645	T10 Torx® 2"	1
DW2022B6	#2 Phillips 2" - 6 Pack Bag	6	DW2212	#2 Square Recess 2"	1	DW2648	T15 Torx® 2"	1
DW2022B8	#2 Phillips 2" - 8 Pack Bag	8	DW2212B	#2 Square Recess 2"	100	DW2660	T20 Torx® 2"	1
⊕ Deck Power Bits			DW2213	#3 Square Recess 2"	1	DW2665	T25 Torx® 2"	1
DW2026	Deck	3	DW2231	#1 Square Recess 3-1/2"	1	DW2670	T30 Torx® 2"	1
			DW2232	#2 Square Recess 3-1/2"	1	DW2680	T40 Torx® 2"	1

DOUBLE ENDED BITS



CAT #	DESCRIPTION	QTY
DW2024	#2 Phillips/#8 Slotted	1
DW2024B	#2 Phillips/#8 Slotted - Bulk	100
DW2028	#2 Phillips	1
DW2028B	#2 Phillips - Bulk	100
DW2029	#2 Phillips - 5 pack	5
DW2215	#2 Phillips/#2 Sq. Recess - 3 pack	3
DW2214	#2 Phillips/#2 Square Recess	1
DW2024B6	#2 Phillips/#8 Slotted - 6 pack	6
DW2028B6	#2 Phillips/#2 Phillips - 6 pack	6
DW2024CS	#2 Phillips/#8 Slotted - clipstrip	6


BIT TIP HOLDERS

CAT #	DESCRIPTION	QTY
DW2045	3" Magnetic - IMPACT READY™	1
DW2046	2" Magnetic - IMPACT READY™	1
DW2050	Quick Change	1
DW2045B	3" - Bulk - IMPACT READY™	1
DWPVTHLD	Magnetic Pivot Holder - IMPACT READY™	1



DEPTH SETTERS

CAT #	DESCRIPTION	QTY
DW2043	Adjustable Screw (Non Magnetic)	1
DW2014	Drywall Screw Setter	1
DW2014B	Drywall Screw Setter - Bulk	50
DW2014B3	Drywall Screw Setter in bag of 3	3
DW2014B4	Drywall Screw Setter in bag of 4	4



MAGNETIC NUT DRIVERS



CAT #	DESCRIPTION	QTY	CAT #	DESCRIPTION	QTY	CAT #	DESCRIPTION	QTY
DW2218	1/4" x 1-7/8"	1	DW2222	5/16" x 2-9/16"	1	DW2219B2	5/16" x 1-7/8" - 2 Pack	3
DW2218B	1/4" x 1-7/8"	50	DW2222B	5/16" x 2-9/16"- IMPACT READY™	50	DW2219B3	5/16" x 1-7/8" - 3 Pack	3
DW2219	5/16" x 1-7/8"	1	DW2223	3/8" x 2-9/16"	1	DW2218B3	1/4" x 1-7/8" - 3 Pack	3
DW2219B	5/16" x 1-7/8"	50	DW2223B	3/8" x 2-9/16"	50	DW2227	7/16" x 1-7/8"	3
DW2220	3/8" x 1-7/8"	1	DW2224	3 pc Set 1/4", 5/16", 3/8"(x 1-7/8")	1	DW2227B	7/16" x 1-7/8"	50
DW2220B	3/8" x 1-7/8"	50	DW2225	Acoustical Eye Lag Driver	1	DW2228	7/16" x 2 9/16"	3
DW2221	1/4" x 2-9/16"	1	DW2225B	Acoustical Eye Lag Driver	50	DW2228B	7/16" x 2 9/16"	50
DW2221B	1/4" x 2-9/16"	50	DW2218B2	1/4" X 1 7/8" - 2 Pack	3			

6 IN 1 DRIVER



CAT #	DESCRIPTION	QTY
Replacement Bit Tips for 6 IN 1 DRIVER		
DW2326	PH#2/SQ#2 - PH#3/SL#10	1
DW2327	PH#3/SL#8 - SQ#1/SQ#2	1
DW2328	T#15/T#20 - PH#1/SL#6	1

DW2336
7 Piece 6 IN 1 DRIVER Set
 Contains: TX#15/TX#20, PH#1/PHSq, PH#2/SL#8, SQ#2/SQ#1, (2) 1/4" Nutsetters, 5/16" Nutsetter



DW2330
4 Piece 6 IN 1 DRIVER Set
 Contains: PH#2/SL#8 - SQ#2/SQ#1, 1/4" Nutsetter, 5/16" Nutsetter



MAGNETIC DRIVE GUIDES



CAT #	DESCRIPTION	QTY
DW2052	Magnetic Drive Guide with 10 #2SQ Bit Tips - clipstrip	1
DW2054	Compact Magnetic Drive Guide	1
DW2055	6" Magnetic Drive Guide	1
DW2055B	6" Magnetic Drive Guide - Bulk	25
DW2056	Clear Magnetic Drive Guide	1
DW2054CS	Compact	1

DW2053
16 Piece Drive Guide Set Contains:
 • (10) #2 Phillips 1" Insert Bit Tips
 • (2) #8 Slotted 1" Insert Bit Tips
 • (1) #10 Slotted 1" Insert Bit Tip
 • (2) #2 Square Recess 1" Insert Bit Tips
 • (1) Compact Magnetic Drive Guide



DW2095
7 Piece Magnetic Drive Guide Set Contains:
 • (1) #1 Phillips 1" Insert Bit Tip
 • (2) #2 Phillips 1" Insert Bit Tips
 • (1) #8 Slotted 1" Insert Bit Tip
 • (1) #2 Square Recess 1" Insert Bit Tip
 • (1) Compact Magnetic Drive Guide
 • (1) Clear Magnetic Drive Guide



DW2097
14 Piece Drive Guide Set Contains:
 • (6) #2 Phillips 1" Insert Bit Tips
 • (2) #8 Slotted 1" Insert Bit Tips
 • (1) #10 Slotted 1" Insert Bit Tip
 • (3) #2 Square Recess 1" Insert Bit Tips
 • (1) Compact Magnetic Drive Guide
 • (1) Clear Magnetic Drive Guide



TOUGH CASE™ SCREWDRIVING SETS



DW2160
13 Piece Screwdriving Set
 Contains:
 • 1" Phillips bit tips: (1) #1, (2) #2, (1) #3
 • 1" Slotted bit tips: (1) #6, (1) #8,
 • 1" Square Recess bit tips: (1) #1, (1) #2
 • 2" Phillips power bit: (1) #2
 • 2" Square Recess power bit: (1) #2
 • 3-1/2" Phillips power bit: (1) #2
 • 3-1/2" Square Recess power bit: (1) #2
 • 2" Magnetic bit tip holder: (1)



DW2161
21 Piece Screwdriving Set
 Contains:
 • 1" Phillips bit tips: (1) #1, (6) #2, (1) #3
 • 1" Slotted bit tips: (1) #6, (1) #8, (1) #10
 • 1" Square Recess bit tips: (1) #1, (3) #2, (1) #3
 • 2" Phillips power bit: (1)
 • 2" Square Recess power bit: (1) #2
 • Nutdrivers: (1) 1/4", (1) 5/16"
 • 2" Magnetic bit tip holder: (1)



DW2162
29 Piece Screwdriving Set
 Contains:
 • 1" Phillips bit tips: (1) #1, (10) #2, (1) #3
 • 1" Slotted bit tips: (1) #6, (2) #8, (1) #10
 • 1" Square Recess bit tips: (1) #1, (6) #2, (1) #3
 • 2" Phillips power bit: (1) #2
 • 2" Square Recess power bit: (1) #2
 • Nutdrivers: (1) 1/4", (1) 5/16"
 • 2" Magnetic bit tip holder: (1)



DW2163
37 Piece Screwdriving Set
 Contains:
 • 1" Phillips bit tips: (1) #1, (10) #2, (1) #3
 • 1" Slotted bit tips: (1) #6, (2) #8, (1) #10
 • 1" Square Recess bit tips: (1) #1, (6) #2, (1) #3
 • 2" Double-ended bits: (1) P#1/S#6, (3) P#2/S#8, (3) P#2/S#2, (1) P#3/S#10
 • Magnetic nutsetters: (1) 1/4", (1) 5/16"
 • Compact magnetic drive guide: (1)
 • 3-1/2" Phillips power bit: (1) #2
 • 3-1/2" Square Recess power bit: (1) #2



DW2174
18 Piece Screwdriving Set
 Contains:
 • 1" Phillips bit tips: (1) #1, (2) #2, (1) #3
 • 1" Slotted bit tips: (2) #8,
 • 1" Square Recess bit tips: (2) #2
 • 2" Phillips power bit: (5) #2
 • 2" Square Recess power bit: (1) #2
 • 3-1/2" Phillips power bits: (2) #2
 • 3-1/2" Square Recess power bit: (1) #2
 • Compact magnetic drive guide: (1)



DW2176
37 Piece Screwdriving Set
 Contains:
 • 1" Phillips bit tips: (1) #1, (18) #2, (1) #3
 • 1" Slotted bit tips: (1) #6, (2) #8, (1) #10
 • 1" Square Recess bit tips: (1) #1, (6) #2, (1) #3
 • 2" Phillips power bit: (1) #2
 • Compact magnetic drive guide: (1)
 • 6" Magnetic drive guide: (1)
 • Nutdrivers: (1) 1/4", (1) 5/16"

BIT BOX SCREWDRIVING SETS



DW2002B25
25 Pack #2 Phillips
1" Bit Tips in Bit Box



DW2002X10
10 Pack #2 Phillips
1" Bit Tips in Bit Box



DW2002DEX15
15 Pack #2 Phillips 1" Double
Ended Bit Tips in Bit Box



DW2002B30
30 Pack #2 Phillips
1" Bit Tips in Bit Box

SPECIALTY SCREW-DRIVING BIT PACKS



DW2067
7 Piece 1" TORX Bit Set
Contains: T10, T15, T20,
T25, T27, T30 & T40



DW2068
9 Piece 1" Hex Bit Set
Contains: 5/64", 3/32",
7/64", 1/16", 1/8", 9/64",
5/32", 3/16" & 1/4"



DW2069
3 Piece 1" Pozi Bit Set
Contains: #1, #2, #3

TOUGH CASE™ STORAGE CONTAINER

- Industrial ABS case and steel hinge for maximum durability
- Adjustable storage compartments
- Sliding rubber latch keeps case closed
- Locking interior lids keep components secure



DW2190

RAPID LOAD[®] HOLDER



DW2505
RAPID LOAD Hex Holder

- Pressure-activated ball-groove system for rapid loading and strong retention
- Impact and rust resistant nickel plated nose for extended use
- Durable rubber finger grips for comfortable use
- Stainless steel interior parts for greater durability
- The RAPID LOAD[®] holder fits all brands of 3/8" and 1/2" cordless and corded drills

RAPID LOAD[®] QUICK CHANGE ACCESSORIES



CAT #	DESCRIPTION
Rotary Masonry Drill Bits	
DW2572	5/32" Rotary masonry bit
DW2573	3/16" Rotary masonry bit
DW2574	1/4" Rotary masonry bit
DW2571	3 Piece Rotary masonry bit set
Socket Adapters	
DW2541	1/4" Socket adapter
DW2542	3/8" Socket adapter

CAT #	DESCRIPTION
Countersinks	
DW2537	#6 Countersink replacement drill bit 9/64"
DW2538	#8 Countersink replacement drill bit 11/64"
DW2539	#10 Countersink replacement drill bit 3/16"
DW2540	#12 Countersink replacement drill bit 7/32"
DW2567	#6 Countersink with 9/64" drill bit
DW2568	#8 Countersink with 11/64" drill bit
DW2569	#10 Countersink with 3/16" drill bit
DW2570	#12 Countersink with 7/32" drill bit
DW2535	3 Piece Countersink set

These ACCESSORIES also fit the RAPID LOAD[®] Holder but are found in separate listings within this catalog.

Power Bits Page 22
Bit Tip Holders Page 22
Magnetic Nut Drivers Page 23
Magnetic Drive Guides Page 23

RAPID LOAD® SETS



DW2502
17 Piece RAPID LOAD® Set



DW2506
6 Piece RAPID LOAD® Set



DW2513
15 Piece RAPID LOAD® Set



DW2518
30 Piece RAPID LOAD® Set



DW2521
28 Piece RAPID LOAD® Set



DW2522
32 Piece RAPID LOAD® Set



DW2523
23 Piece RAPID LOAD® Set



DW2529
100 Piece RAPID LOAD® Tradesman Set

DRILL DRIVE SETS



Pre-Drill



Flip Over



Drive Screws



DW2730
8 Piece DRILL DRIVE Set
Contains: Drill Drive holder, Drill Drive connector, #6 & #8 drill bits with counter-sinks, #8 replacement drill bit, 3 screwdriver bit tips, heavy-duty container



DW2735
12 Piece DRILL DRIVE Set
Contains: Drill Drive holder, Drill Drive connector, #6, #8 & #10 drill bits with counter-sinks, #6 (2), #8 & #10 replacement drill bits, 3 screwdriver bit tips, heavy-duty container

IMPACT READY™ SCREWDRIVING BITS



CAT #	DESCRIPTION
+ Phillips Bit Tips	
DW2001R	#1 Phillips - IMPACT READY™
DW2002R	#2 Phillips - IMPACT READY™
DW2003R	#3 Phillips - IMPACT READY™
DW2004R	#2 Phillips (Reduced Diameter) - IMPACT READY™
DW2022R	#2 2" Phillips Power Bit - IMPACT READY™
DW2032R	#2 3-1/2" Phillips Power Bit - IMPACT READY™

CAT #	DESCRIPTION
□ Square Recess Bit Tips	
DW2201R	#1 Square Recess - IMPACT READY™
DW2202R	#2 Square Recess - IMPACT READY™
DW2212R	#2 2" Square Recess Power Bit - IMPACT READY™
Bit Tip Holders	
DW2045	3" Holder with Ring - IMPACT READY™
DW2046	Mag. Bit Tip Holder (No retention rings) - IMPACT READY™
DWPVTHLD	Magnetic Pivot Holder - IMPACT READY™

Pivot Holder DWPVTHLD



IMPACT READY™ ADAPTERS AND NUTSETTERS



CAT #	DESCRIPTION	CAT #	DESCRIPTION
Adapters/Reducers		Nutsetters (Continued)	
DW2298	1/2" Square Female to 1/4" Hex Rapid Load	DW2219IR	5/16" x 1-7/8" Magnetic Nutdriver
DW2299	1/2" to 3/8" Reducer	DW2222IR	5/16" x 2-9/16" Magnetic Nutdriver
DW2542IR	1/4" Hex Shank to 3/8" Socket Adapter	DW2220IR	3/8" x 1-7/8" Magnetic Nutdriver
DW2547IR	1/4" Hex Shank to 1/2" Socket Adapter	DW2223IR	3/8" x 2-9/16" Magnetic Nutdriver
DW2541IR	1/4" Hex Shank to 1/4" Socket Adapter	DW2227IR	7/16" x 1-7/8" Magnetic Nutdriver
Nutsetters		DW2228IR	7/16" x 2-9/16" Magnetic Nutdriver
DW2218IR	1/4" x 1-7/8" Magnetic Nutdriver	DW2234IR	1/2" x 2-9/16" Magnetic Nutdriver
DW2221IR	1/4" x 2-9/16" Magnetic Nutdriver		

IMPACT READY™ OPEN STOCK DEEP SOCKETS



- Rated up to 2000 in-lbs of torque
- Qualified for Cordless Impact Drivers

CAT #	SOCKET SIZE	DRIVE SIZE	CAT #	SOCKET SIZE	DRIVE SIZE
DW2280	3/16"	3/8"	DW22842	3/16"	1/2"
DW2281	1/4"	3/8"	DW22852	7/16"	1/2"
DW2282	5/16"	3/8"	DW22862	1/2"	1/2"
DW2283	11/32"	3/8"	DW22872	9/16"	1/2"
DW2284	3/8"	3/8"	DW22882	5/8"	1/2"
DW2285	7/16"	3/8"	DW22892	11/16"	1/2"
DW2286	1/2"	3/8"	DW22802	3/4"	1/2"
DW2287	9/16"	3/8"	DW22812	13/16"	1/2"
DW2288	5/8"	3/8"	DW22822	7/8"	1/2"
DW2289	11/16"	3/8"	DW22832	15/16"	1/2"
DW2290	3/4"	3/8"	DW22942	1"	1/2"
DW2291	13/16"	3/8"	DW22952	1-1/16"	1/2"
DW2292	7/8"	3/8"	DW22962	1-1/8"	1/2"
DW2293	15/16"	3/8"	DW22972	1-1/4"	1/2"
DW2294	1"	3/8"			



DW2169

38 Piece IMPACT READY™ Accessory Set Contains:

- (8) #2 Phillips 1" Insert Bits
- (8) #2 Phillips 1" Drywall Insert Bits
- (5) #2 Phillips 2" Power Bits
- (8) #2 Phillips 1" Double Ended Insert Bits
- (2) Nutdrivers: 1/4", 5/16"
- (1) 3/8" Socket Adapter
- (4) 3/8" Drive Deep Sockets: 3/8", 7/16", 1/2", 9/16"
- (1) Pivot Holder
- (1) Magnetic Bit Holder

GOLD FERROUS OXIDE PILOT POINT® DRILL BITS



CAT #	QTY/CARD	BULK	BULK/QTY	DIAMETER		DRILLING DEPTH	OVERALL LENGTH	CAT #	QTY/CARD	BULK	BULK/QTY	DIAMETER		DRILLING DEPTH	OVERALL LENGTH
				Inches	Decimal							Inches	Decimal		
DW1904	2	DW1904B	12	1/16"	.0625	.88	1.88	DW1919	1	DW1919B	12	19/64"	.2969	3.06	4.38
DW1905	2	DW1905B	12	5/64"	.0781	1.00	2.00	DW1920	1	DW1920B	6	5/16"	.3125	3.19	4.50
DW1906	2	DW1906B	12	3/32"	.0938	1.25	2.25	DW1921	1	DW1921B	6	21/64"	.3281	3.31	4.62
DW1907	2	DW1907B	12	7/64"	.1094	1.50	2.62	DW1922	1	DW1922B	6	11/32"	.3438	3.44	4.75
DW1908	2	DW1908B	12	1/8"	.1250	1.62	2.75	DW1923	1	DW1923B	6	23/64"	.3594	3.50	4.88
DW1909	1	DW1909B	12	9/64"	.1406	1.75	2.88	DW1924	1	DW1924B	6	3/8"	.3750	3.62	5.00
DW1910	1	DW1910B	12	5/32"	.1562	2.00	3.12	DW1925*	1	DW1925B*	6	25/64"	.3906	3.75	5.12
DW1911	1	DW1911B	12	11/64"	.1719	2.12	3.25	DW1926*	1	DW1926B*	6	13/32"	.4062	3.88	5.25
DW1912	1	DW1912B	12	3/16"	.1875	2.31	3.50	DW1927*	1	DW1927B*	6	27/64"	.4219	3.94	5.38
DW1913	1	DW1913B	12	13/64"	.2031	2.44	3.62	DW1928*	1	DW1928B*	6	7/16"	.4375	4.06	5.50
DW1914	1	DW1914B	12	7/32"	.2188	2.50	3.75	DW1929*	1	DW1929B*	6	29/64"	.4531	4.19	5.62
DW1915	1	DW1915B	12	15/64"	.2344	2.62	3.88	DW1930*	1	DW1930B*	6	15/32"	.4688	4.31	5.75
DW1916	1	DW1916B	12	1/4"	.2500	2.75	4.00	DW1931*	1	DW1931B*	6	31/64"	.4844	4.38	5.88
DW1917	1	DW1917B	12	17/64"	.2656	2.88	4.12	DW1932*	1	DW1932B*	6	1/2"	.5000	4.50	6.00
DW1918	1	DW1918B	12	9/32"	.2812	2.94	4.25								

*3/8" reduced shank

DW1169

14 Piece Gold Ferrous Oxide Set with TOUGH CASE™ Container

Contains: (2) 1/16", 5/64", 3/32", 7/64", (2) 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"



DW1956

16 Piece Gold Ferrous Oxide Set with TOUGH CASE™ Container

Contains: (2) 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 1/4", 5/16", 3/8", 1/2"



DW1969

29 Piece Gold Ferrous Oxide Set with Metal Index Container

Contains: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2"



REDUCED SHANK BLACK OXIDE DRILL BITS



CAT #	QTY/CARD	DIAMETER	SHANK Inches	FLUTE LENGTH	OVERALL LENGTH
DW1620	1	9/16"	3/8"	3"	6"
DW1622	1	5/8"	3/8"	3"	6"
DW1623	1	11/16"	3/8"	3"	6"
DW1625	1	3/4"	3/8"	3"	6"
DW1627	1	7/8"	1/2"	3"	6"
DW1629	1	1"	1/2"	3"	6"

12" BLACK OXIDE DRILL BITS



CAT #	QTY/CARD	DIAMETER	SHANK Inches	FLUTE LENGTH	OVERALL LENGTH
DW1602	1	1/8"	1/8"	1-5/8"	12"
DW1604	1	3/16"	3/16"	2-5/16"	12"
DW1606	1	1/4"	1/4"	2-3/4"	12"
DW1608	1	5/16"	5/16"	3-3/16"	12"
DW1610	1	3/8"	3/8"	3-5/8"	12"
DW1612	1	7/16"	3/8"	4-1/16"	12"
DW1614	1	1/2"	3/8"	4-1/2"	12"

BLACK OXIDE DRILL BIT SETS

DW1163

13 Piece Split Point Set with TOUGH CASE™ Container
 Contains: (2) 1/16", 5/64", (2) 3/32", 7/64", (2) 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"



DW1167

17 Piece Split Point Set with TOUGH CASE™ Container
 Container Contains: (2) 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 5/16", 3/8", 1/2"



DW1164

25 Piece Split Point Set with Metal Index Container
 Container Contains: (2) 1/16", (2) 5/64", (2) 3/32", 7/64", (2) 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", (2) 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"



COBALT PILOT POINT™ DRILL BITS



Ideal for Stainless Steel

CAT #	QTY/CARD	BULK	BULK/QTY	DIAMETER Inches	DIAMETER Decimal	DRILLING DEPTH	OVERALL LENGTH
DW1204	2	DW1204B	12	1/16"	.0625	.88	1.88
DW1205	2	DW1205B	12	5/64"	.0781	1.00	2.00
DW1206	2	DW1206B	12	3/32"	.0938	1.25	2.25
DW1207	2	DW1207B	12	7/64"	.1094	1.50	2.62
DW1208	2	DW1208B	12	1/8"	.1250	1.62	2.75
DW1209	1	DW1209B	12	9/64"	.1406	1.75	2.88
DW1210	1	DW1210B	12	5/32"	.1562	2.00	3.12
DW1211	1	DW1211B	12	11/64"	.1719	2.12	3.25
DW1212	1	DW1212B	12	3/16"	.1875	2.31	3.50
DW1213	1	DW1213B	12	13/64"	.2031	2.44	3.62
DW1214	1	DW1214B	12	7/32"	.2188	2.50	3.75
DW1215	1	DW1215B	12	15/64"	.2344	2.62	3.88
DW1216	1	DW1216B	12	1/4"	.2500	2.75	4.00
DW1217	1	DW1217B	12	17/64"	.2656	2.88	4.12
DW1218	1	DW1218B	12	9/32"	.2812	2.94	4.25

CAT #	QTY/CARD	BULK	BULK/QTY	DIAMETER Inches	DIAMETER Decimal	DRILLING DEPTH	OVERALL LENGTH
DW1219	1	DW1219B	12	19/64"	.2969	3.06	4.38
DW1220	1	DW1220B	6	5/16"	.3125	3.19	4.50
DW1221	1	DW1221B	6	21/64"	.3281	3.31	4.62
DW1222	1	DW1222B	6	11/32"	.3438	3.44	4.75
DW1223	1	DW1223B	6	23/64"	.3594	3.50	4.88
DW1224	1	DW1224B	6	3/8"	.3750	3.62	5.00
DW1225*	1	DW1225B*	6	25/64"	.3906	3.75	5.12
DW1226*	1	DW1226B*	6	13/32"	.4062	3.88	5.25
DW1227*	1	DW1227B*	6	27/64"	.4219	3.94	5.38
DW1228*	1	DW1228B*	6	7/16"	.4375	4.06	5.50
DW1229*	1	DW1229B*	6	29/64"	.4531	4.19	5.62
DW1230*	1	DW1230B*	6	15/32"	.4688	4.31	5.75
DW1231*	1	DW1231B*	6	31/64"	.4844	4.38	5.88
DW1232*	1	DW1232B*	6	1/2"	.5000	4.50	6.00

*3/8" reduced shank

DW1263

14 Piece Cobalt Set with TOUGH CASE™ Container
 Contains: (2) 1/16", 5/64", 3/32", 7/64", (2) 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"



DW1269

29 Piece Cobalt Set with Metal Index Container
 Contains: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2"



BRAD POINT DRILL BITS



CAT #	QTY/CARD	DIAMETER	SHANK Inches	FLUTE LENGTH	OVERALL LENGTH
DW1702	1	1/8"	.1250	1.75	2.75
DW1704	1	3/16"	.1875	2.25	3.38
DW1706	1	1/4"	.2500	2.50	4.00

CAT #	QTY/CARD	DIAMETER	SHANK Inches	FLUTE LENGTH	OVERALL LENGTH
DW1708	1	5/16"	.3125	3.13	4.75
DW1710	1	3/8"	.3750	3.50	5.25
DW1714	1	1/2"	.5000	4.00	6.00

TITANIUM SPLIT POINT DRILL BITS



CAT #	QTY/CARD	DIAMETER Inches	Decimal	DRILLING DEPTH	OVERALL LENGTH	CAT #	QTY/CARD	DIAMETER Inches	Decimal	DRILLING DEPTH	OVERALL LENGTH
DW1304	1	1/16"	.0625	.88	1.88	DW1313	1	13/64"	.2031	2.44	3.62
DW1305	1	5/64"	.0781	1.00	2.00	DW1314	1	7/32"	.2188	2.50	3.75
DW1306	1	3/32"	.0938	1.25	2.25	DW1315	1	15/64"	.2344	2.62	3.88
DW1307	1	7/64"	.1094	1.50	2.62	DW1316	1	1/4"	.2500	2.75	4.00
DW1308	1	1/8"	.1250	1.62	2.75	DW1320	1	5/16"	.3125	3.19	4.50
DW1309	1	9/64"	.1406	1.75	2.88	DW1324	1	3/8"	.3750	3.62	5.00
DW1310	1	5/32"	.1562	2.00	3.12	DW1328*	1	7/16"	.4375	4.06	5.50
DW1311	1	11/64"	.1719	2.12	3.25	DW1332*	1	1/2"	.5000	4.50	6.00
DW1312	1	3/16"	.1875	2.31	3.50						

DW1363

13 Piece Set with TOUGH CASE™ Container Contains:
 (2) 1/16", 5/64", (2) 3/32", 7/64", (2) 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"



HEAVY-DUTY SPADE BITS



CAT #	DESCRIPTION	CAT #	DESCRIPTION	CAT #	DESCRIPTION
DW1570	1/4" x 6"	DW1579	13/16" x 6"	DW1591	1/2" x 16"
DW1571	5/16" x 6"	DW1580	7/8" x 6"	DW1592	5/8" x 16"
DW1572	3/8" x 6"	DW1581	15/16" x 6"	DW1593	3/4" x 16"
DW1573	7/16" x 6"	DW1582	1" x 6"	DW1594	7/8" x 16"
DW1574	1/2" x 6"	DW1583	1-1/8" x 6"	DW1595	1" x 16"
DW1575	9/16" x 6"	DW1584	1-1/4" x 6"	DW1587	6-Pc. Set
DW1576	5/8" x 6"	DW1585	1-3/8" x 6"	DW1588	6" Extension
DW1577	11/16" x 6"	DW1586	1-1/2" x 6"	DW1589	12" Extension
DW1578	3/4" x 6"	DW1590	3/8" x 16"		



HEAVY-DUTY SELF FEED BITS




CAT #	DESCRIPTION	CAT #	DESCRIPTION	DW1648
DW1630	1"	DW1639	2-9/16"	5 Piece Kit Contains: 1-3/8", 1-1/2", 2-1/8", 2-9/16", 5-1/2" Extension
DW1631	1-1/8"	DW1640	3"	
DW1632	1-1/4"	DW1641	3-5/8"	DW1649 8 Piece Kit Contains: 1", 1-1/8", 1-1/4", 1-1/2", 1-3/4", 2-1/8", 2-9/16", 5-1/2" Extension
DW1633	1-3/8"	DW1642	4-5/8"	
DW1634	1-1/2"	DW1650	Replacement Parts (DW1630-DW1639)	
DW1635	1-3/4"	DW1651	Replacement Parts (DW1640-DW1642)	
DW1636	2"	DW1646	5-1/2" Extension	
DW1637	2-1/8"	DW1647	12" Extension	
DW1638	2-1/4"			



POWER SHIP AUGER BITS




CAT #	DIAMETER	OVERALL LENGTH	FLUTE LENGTH	SHANK	CAT #	DIAMETER	OVERALL LENGTH	FLUTE LENGTH	SHANK
Short					Long				
DW1665	5/8"	6"	4"	7/16" Hex	DW1680	9/16"	17"	12"	7/16" Hex
DW1666	11/16"	6"	4"	7/16" Hex	DW1681	5/8"	17"	12"	7/16" Hex
DW1667	3/4"	6"	4"	7/16" Hex	DW1682	11/16"	17"	12"	7/16" Hex
DW1668	13/16"	6"	4"	7/16" Hex	DW1683	3/4"	17"	12"	7/16" Hex
DW1669	7/8"	6"	4"	7/16" Hex	DW1684	13/16"	17"	12"	7/16" Hex
DW1670	15/16"	6"	4"	7/16" Hex	DW1685	7/8"	17"	12"	7/16" Hex
DW1671	1"	6"	4"	7/16" Hex	DW1686	15/16"	17"	12"	7/16" Hex
DW1672	1-1/16"	6"	4"	7/16" Hex	DW1687	1"	17"	12"	7/16" Hex
DW1673	1-1/8"	6"	4"	7/16" Hex	DW1688	1-1/16"	17"	12"	7/16" Hex
DW1674	1-1/4"	6"	4"	7/16" Hex	DW1689	1-1/8"	17"	12"	7/16" Hex
DW1675	1-3/8"	6"	4"	7/16" Hex	DW1690	1-1/4"	17"	12"	7/16" Hex
DW1676	1-1/2"	6"	4"	7/16" Hex	DW1691	1-3/8"	17"	12"	7/16" Hex
					DW1692	1-1/2"	17"	12"	7/16" Hex




BELLHANGER BITS




CAT #	DIAMETER	LENGTH	CAT #	DIAMETER	LENGTH
DW1768	1/4"	12"	DW1776	7/16"	18"
DW1769	5/16"	12"	DW1777	1/2"	18"
DW1770	3/8"	12"	DW1778	1/4"	24"
DW1771	7/16"	12"	DW1779	5/16"	24"
DW1772	1/2"	12"	DW1780	3/8"	24"
DW1773	1/4"	18"	DW1781	7/16"	24"
DW1774	5/16"	18"	DW1782	1/2"	24"
DW1775	3/8"	18"			



STEP DRILL BITS



Self Starting Bit



Hole Enlarging Bit

CAT #	DESCRIPTION	# OF HOLES	SHANK SIZE	MAX. MAT. THICKNESS
Self Starting				
DW1783	1/8" – 1/2" by 1/32"	13	1/4"	1/8"
DW1784	3/16" – 1/2" by 1/16"	6	1/4"	3/8"
DW1785	1/4" – 3/4" by 1/16"	9	3/8"	1/8"
DW1786	3/16" – 7/8" by 1/16"	12	3/8"	1/8"
DW1787	7/8", 1-1/8", 1-3/8"	3	1/2"	3/16"
DW1788	3/8", 1/2"	2	1/4"	3/16"
DW1789	7/8", 1-1/8"	2	1/2"	1/8"
DW1790	7/8"	1	3/8"	-

CAT #	DESCRIPTION	# OF HOLES	SHANK SIZE	MAX. MAT. THICKNESS
Self Starting (continued)				
DW1793	4, 5, 6, 7, 8, 9, 10, 11, 12	9	1/4"	5mm
DW1795	6, 8, 10, 12, 14, 16, 18	7	3/8"	5mm
Hole Enlarging				
DW1791	9/16" – 1" by 1/16"	8	1/2"	1/8"
DW1792	13/16" – 1-3/8" by 1/16"	10	1/2"	1/8"
DW1794	14, 16, 18, 20, 22, 24, 25	7	1/2"	5mm
DW1796	20, 22, 24, 26, 28, 30, 32, 34	8	1/2"	5mm

PERCUSSION DRILL BITS



ROCK CARBIDE[®]



CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
DW5221	1/8"	2"	3"
DW5209	5/32"	2"	3"
DW5227	5/32"	4"	6"
DW5222	3/16"	2"	3"
DW5223	3/16"	4"	6"
DW5211	7/32"	4"	6"
DW5224	1/4"	2"	4"
DW5225	1/4"	4"	6"
DW5226	1/4"	7"	12"
DW5228	5/16"	4"	6"
DW5229	5/16"	7"	12"
DW5230	3/8"	4"	6"
DW5231	3/8"	7"	12"

CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
DW5232	3/8"	16"	18"
DW5233	3/8"	22"	24"
DW5234	7/16"	4"	6"
DW5235	1/2"	4"	6"
DW5236	1/2"	7"	12"
DW5237	1/2"	16"	18"
DW5238	1/2"	22"	24"
DW5217	9/16"	4"	6"
DW5241	5/8"	4"	6"
DW5242	5/8"	7"	12"
DW5244	3/4"	4"	6"
DW5245	3/4"	7"	12"
DW5219	7/8"	7"	12"
DW5249	1"	7"	12"

CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
Bulk Packs			
DW5221B25	1/8"	2"	3"
DW5222B25	3/16"	2"	3"
DW5223B25	3/16"	4"	6"
DW5224B25	1/4"	2"	4"
DW5225B25	1/4"	4"	6"
DW5227B25	5/32"	3"	6"
DW5228B25	5/16"	4"	6"
DW5230B25	3/8"	4"	6"
DW5235B10	1/2"	4"	6"

Fits all brands of Electric and Cordless Hammerdrills including DeWALT, Bosch and Hitachi.



DW5204
4 Piece Percussion Masonry Drill Bit Set
 Contains: 3/16" x 3", 1/4" x 4", 5/16" x 6", 3/8" x 6"



DW5205
5 Piece Percussion Masonry Drill Bit Set with TOUGH CASE™ Container
 Contains: 5/32" x 6", 3/16" x 6", 1/4" x 6", 5/16" x 6", 3/8" x 6"



DW5207
7 Piece Percussion Masonry Drill Bit Set
 Contains: 3/16" x 3", (2) 1/4" x 4", 1/4" x 6", 5/16" x 6", 3/8" x 6", 1/2" x 6"



DIAMOND DRILL BITS



CAT #	DESCRIPTION	CAT #	DESCRIPTION
DW5570	3/16" Diamond Drill Bit	DW5578	1/2" Diamond Drill Bit
DW5572	1/4" Diamond Drill Bit	DW5580	5/8" Diamond Drill Bit
DW5574	5/16" Diamond Drill Bit	DW5582	3/4" Diamond Drill Bit
DW5576	3/8" Diamond Drill Bit	DW5584	1" Diamond Drill Bit



ROCK CARBIDE® SDS PLUS BITS



ROCK CARBIDE®



CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
DW5400	5/32"	2"	4"
DW5401	5/32"	4-1/2"	6-1/2"
DW5402	3/16"	2"	4"
DW5403	3/16"	4-1/2"	6-1/2"
DW5404	3/16"	6-1/2"	8-1/2"
DW5405	3/16"	8"	10"
DW5406	3/16"	10"	12"
DW5407	3/16"	12"	14"
DW5408	3/16"	14"	16"
DW5410	7/32"	4"	6"
DW5412	7/32"	8"	10"
DW5416	1/4"	2"	4"
DW5417	1/4"	4"	6"
DW5418	1/4"	6-1/2"	8-1/2"
DW5420	1/4"	10"	12"
DW5421	1/4"	12"	14"
DW5424	5/16"	4"	6"
DW5426	5/16"	10"	12"
DW5427	3/8"	4"	6"
DW5429	3/8"	8"	10"
DW5430	3/8"	10"	12"
DW5431	3/8"	16"	18"
DW5432	3/8"	22"	24"
DW5433	7/16"	4"	6"
DW5435	7/16"	10"	12"
DW5436	7/16"	16"	18"

CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
DW5437	1/2"	4"	6"
DW5438	1/2"	8"	10"
DW5439	1/2"	10"	12"
DW5440	1/2"	16"	18"
DW5441	1/2"	22"	24"
DW5442	9/16"	4"	6"
DW5443	9/16"	10"	12"
DW5444	9/16"	16"	18"
DW5445	9/16"	22"	24"
DW5446	5/8"	6"	8"
DW5447	5/8"	10"	12"
DW5448	5/8"	16"	18"
DW5449	5/8"	22"	24"
DW5450	11/16"	6"	8"
DW5453	3/4"	6"	8"
DW5455	3/4"	10"	12"
DW5456	3/4"	16"	18"
DW5457	3/4"	22"	24"
DW5458	27/32"	6"	8"
DW5460	7/8"	6"	8"
DW5461	7/8"	10"	12"
DW5462	7/8"	16"	18"
DW5464	1"	8"	10"
DW5466	1"	16"	18"
DW5468	1-1/8"	8"	10"
DW5469	1-1/8"	16"	18"

CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
Bulk Packs			
DW5401B25	5/32"	4-1/2"	6-1/2"
DW5402B25	3/16"	2"	4"
DW5403B25	3/16"	4-1/2"	6-1/2"
DW5404B25	3/16"	6-1/2"	8-1/2"
DW5405B25	3/16"	8"	10"
DW5406B25	3/16"	10"	12"
DW5410B25	7/32"	4"	6"
DW5416B25	1/4"	2"	4"
DW5417B25	1/4"	4"	6"
DW5418B25	1/4"	6-1/2"	8-1/2"
DW5424B25	5/16"	4"	6"
DW5427B25	3/8"	4"	6"
DW5437B25	1/2"	4"	6"
DW5446B25	5/8"	6"	8"

DW5470
5 Piece Set
Contains:
3/16" x 4-1/2"
x 6-1/2",
1/4" x 2" x 4",
1/4" x 4" x 6",
3/8" x 4" x 6",
1/2" x 4" x 6"



Fits all brands of
Electric and Cordless
SDS Plus Rotary
Hammers including
DeWALT, Bosch
and Hilti.



SDS PLUS HEX SHANK HAMMER BITS



CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
DW5359	5/32"	2"	5"
DW5360	5/32"	3"	6"
DW5361	5/32"	4"	7"
DW5362	3/16"	2"	5"
DW5363	3/16"	3"	6"
DW5364	3/16"	4"	7"
Bulk Packs			
DW5364B25	3/16"	4"	7"

ANCHOR INSTALLATION ACCESSORIES

CAT #	DESCRIPTION
DW5365	Drive Sleeve for Hex SDS Plus Bits
DW5371	1/4" Magnetic Nut Driver
DW5372	5/16" Magnetic Nut Driver
DW5373	Insert Bit Adapter
DW5374	Percussion Bit Holder

DW5366
10 Piece Anchor Drive Installation
Kit with TOUGH CASE™ Container
Contains: 5/32" x 4" x 7", 3/16" x 4"
x 7", Drive Sleeve, Percussion Bit
Holder, Insert Bit Adapter, #2 Insert
Bit, #3 Insert Bit, 1/4" Nut Driver,
5/16" Nut Driver, Hex Key



SDS MAX SHANK HAMMER BITS



ROCK CARBIDE®



CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
2 Cutter SDS Max Shank			
DW5803	1/2"	8"	13-1/2"
DW5804	1/2"	16"	21-1/2"
DW5801	9/16"	8"	13-1/2"
DW5802	9/16"	16"	21-1/2"
4 Cutter SDS Max Shank			
DW5806	5/8"	8"	13-1/2"
DW5809	5/8"	16"	21-1/2"
DW5807	5/8"	31"	36"
DW5808	11/16"	16"	21-1/2"
DW5810	3/4"	8"	13-1/2"
DW5812	3/4"	16"	21-1/2"
DW5813	3/4"	31"	36"
DW5814	13/16"	16"	21-1/2"
DW5817	27/32"	16"	21-1/2"
DW5815	7/8"	8"	13-1/2"
DW5816	7/8"	16"	21-1/2"

CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
4 Cutter SDS Max Shank (continued)			
DW5818	1"	8"	13-1/2"
DW5819	1"	16"	21-1/2"
DW5820	1"	31"	36"
DW5823	1-1/16"	18"	22-1/2"
DW5821	1-1/8"	10"	15"
DW5822	1-1/8"	18"	22-1/2"
DW5824	1-1/4"	10"	15"
DW5825	1-1/4"	18"	22-1/2"
DW5826	1-1/4"	31"	36"
DW5860	1-5/16"	18"	22-1/2"
DW5827	1-3/8"	18"	22-1/2"
DW5829	1-7/16"	18"	22-1/2"
DW5828	1-1/2"	18"	22-1/2"
DW5861	1-9/16"	18"	22-1/2"
DW5830	1-3/4"	18"	22-1/2"
DW5831	2"	18"	22-1/2"



Fits all brands of SDS
Max Rotary Hammers
including DeWALT,
Bosch and Hilti.

SPLINE SHANK HAMMER BITS



ROCK CARBIDE®



CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
2 Cutter Spline Shank			
DW5700	3/8"	5"	10"
DW5701	3/8"	8"	13"
DW5702	7/16"	5"	10"
DW5703	1/2"	5"	10"
DW5704	1/2"	11"	16"
DW5705	1/2"	17"	22"
DW5706	1/2"	22"	27"
DW5707	1/2"	31"	36"
DW5708	9/16"	5"	10"
DW5735	9/16"	17"	22"
DW5709	5/8"	5"	10"
DW5710	5/8"	11"	16"
DW5711	5/8"	17"	22"
DW5712	5/8"	22"	27"
DW5713	11/16"	5"	10"
DW5714	3/4"	5"	10"
DW5715	3/4"	11"	16"
DW5716	3/4"	17"	22"
DW5717	3/4"	22"	27"
DW5719	7/8"	11"	16"
DW5720	7/8"	17"	22"
DW5721	1"	11"	16"
DW5722	1"	17"	22"

CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
2 Cutter Spline Shank (continued)			
DW5723	1"	31"	36"
DW5724	1-1/8"	5"	10"
DW5725	1-1/8"	11"	16"
DW5726	1-1/8"	17"	22"
DW5727	1-1/4"	11"	16"
DW5728	1-1/4"	17"	22"
DW5729	1-3/8"	11"	16"
DW5730	1-3/8"	17"	22"
DW5731	1-1/2"	11"	16"
DW5732	1-1/2"	17"	22"
DW5733	1-3/4"	17"	22"
DW5734	2"	17"	22"
4 Cutter Spline Shank			
DW5740	5/8"	5"	10"
DW5741	5/8"	11"	16"
DW5742	5/8"	17"	22"
DW5743	5/8"	22"	27"
DW5744	5/8"	31"	36"
DW5745	11/16"	11"	16"
DW5746	3/4"	5"	10"
DW5747	3/4"	11"	16"
DW5748	3/4"	17"	22"
DW5749	3/4"	22"	27"

CAT #	DIAMETER	USABLE LENGTH	OVERALL LENGTH
4 Cutter Spline Shank (continued)			
DW5750	3/4"	31"	36"
DW5751	27/32"	11"	16"
DW5752	7/8"	11"	16"
DW5753	7/8"	17"	22"
DW5755	1"	11"	16"
DW5756	1"	17"	22"
DW5757	1"	31"	36"
DW5758	1-1/8"	11"	16"
DW5759	1-1/8"	17"	22"
DW5760	1-1/4"	11"	16"
DW5761	1-1/4"	17"	22"
DW5762	1-1/4"	31"	36"
DW5763	1-3/8"	11"	16"
DW5765	1-3/8"	17"	22"
DW5764	1-1/2"	17"	22"
DW5768	1-3/4"	17"	22"
DW5769	2"	17"	22"

Fits all brands of Spline Rotary Hammers including DEWALT and Bosch.



SHANK ADAPTERS

CAT #	DESCRIPTION
DW5351	SDS Plus to 1/2" Chuck Adapter
DW5790	Spline to 1/2" Chuck Adapter
DW5353	1/2" Chuck and Key
DW5791	Spline to SDS Plus Adapter
DW5891	SDS Max to SDS Plus Adapter



Converts chuck fits of rotary hammers for increased versatility.



CHISELS & STEEL

CAT #	DESCRIPTION
SDS Plus Steel	
DW5348	10" Bull Point
DW5349	10" Scaling Chisel
DW5350	10" Cold Chisel
SDS Max	
DW5832**	12" Bull Point
DW5833**	18" Bull Point
DW5834**	1" x 12" Cold Chisel
DW5835**	1" x 18" Cold Chisel
DW5837	2" x 15" Scaling Chisel
DW5838*	3" x 12" Scaling Chisel
DW5848B	4" Clay Spade
DW5843*	12" Bushing Tool
DW5846	16" Asphalt Cutter
DW5847	3/4" Ground Rod Driver
DW5842	12" Slotting Tool

Fits all brands of SDS Plus Hammers.



Fits all brands of SDS Max Chipping and Demolition Hammers.

CAT #	DESCRIPTION
Spline - 3/4" Hex x 21/32" Round Spline Shank	
DW5770**	12" Bull Point
DW5771**	18" Bull Point
DW5779**	1" x 12" Cold Chisel
DW5780**	1" x 18" Cold Chisel
DW5773	1-1/4" x 12" Scaling Chisel
DW5774	2" x 12" Scaling Chisel
DW5775*	3" x 12" Scaling Chisel
DW5786B	4" Clay Spade
DW5783*	9-1/2" Bushing Tool
DW5781	16" Asphalt Cutter
DW5785	3/4" Ground Rod Driver
DW5772	12" Slotting Tool



Fits all brands of Spline Chipping and Demolition Hammers.

CAT #	DESCRIPTION
3/4" Hex	
DW5950**	12" Bull Point
DW5951**	18" Bull Point
DW5953**	1" x 12" Cold Chisel
DW5954**	1" x 18" Cold Chisel
DW5952*	3" x 12" Scaling Chisel
DW5959B	4" Clay Spade
DW5949*	9-1/2" Bushing Tool
DW5957	16" Asphalt Cutter
DW5958	3/4" Ground Rod Driver



Fits all brands of 3/4" Hex Chipping and Demolition Hammers.

CAT #	DESCRIPTION
1-1/8" Hex	
DW5960	20" Bull Point
DW5962	20" Cold Chisel
DW5961	3" x 20" Wide Chisel
DW5965	5-1/2" Clay Spade
DW5963	17-1/2" Asphalt Cutter
DW5964	1" Ground Rod Driver
DW5966	6" x 6" Tamper Plate
DW5967	15" Tamper Shank



Fits all brands of 1-1/8" Hex Pavement Breakers. Ring and notch retentions allow for use in electric and pneumatic hammers.

*Available in bulk packs of 10 (B10)
**Available in bulk packs of 15 (B15)

ONE & TWO PIECE CARBIDE CORE BITS




CAT #	DESCRIPTION
ONE PIECE SDS Max Shank	
DW5914	1-3/4" x 12" Core Bit
DW5915	1-3/4" x 22" Core Bit
DW5916	2" x 12" Core Bit
DW5917	2" x 22" Core Bit
DW5918	2-3/4" x 12" Core Bit
DW5919	2-3/4" x 22" Core Bit
DW5920	3-1/4" x 12" Core Bit
DW5921	3-1/4" x 22" Core Bit
DW5922	3-1/2" x 12" Core Bit
DW5923	3-1/2" x 22" Core Bit
DW5924	4" x 12" Core Bit
DW5925	4" x 22" Core Bit
DW5926	5" x 22" Core Bit
DW5927	6" x 22" Core Bit
DW5945	Replacement Centering Bit

CAT #	DESCRIPTION
ONE PIECE Spline Shank	
DW5930	1-3/4" x 12" Core Bit
DW5931	1-3/4" x 22" Core Bit
DW5932	2" x 12" Core Bit
DW5933	2" x 22" Core Bit
DW5934	2-3/4" x 12" Core Bit
DW5935	2-3/4" x 22" Core Bit
DW5936	3-1/4" x 12" Core Bit
DW5937	3-1/4" x 22" Core Bit
DW5938	3-1/2" x 12" Core Bit
DW5939	3-1/2" x 22" Core Bit
DW5940	4" x 12" Core Bit
DW5941	4" x 22" Core Bit
DW5942	5" x 22" Core Bit
DW5943	6" x 22" Core Bit
DW5945	Replacement Centering Bit

CAT #	DESCRIPTION
TWO PIECE Carbide Core Bits	
DW5900	1-1/2" x 4" Core Bit Body
DW5901	2" x 4" Core Bit Body
DW5902	2-1/2" x 4" Core Bit Body
DW5903	3" x 4" Core Bit Body
DW5904	3-1/2" x 4" Core Bit Body
DW5905	4" x 4" Core Bit Body
DW5906	5" x 4" Core Bit Body
DW5907	Centering Bit
DW5908	Thread Adapter
DW5909	7" Splined Core Bit Shank
DW5910	16" Splined Core Bit Shank
DW5911	7" SDS Max Core Bit Shank
DW5912	16" SDS Max Core Bit Shank

BI-METAL HOLE SAWS



CAT #	SIZE Imperial	SIZE Metric	SPEED in steel	PIPE ENTRANCE*		PIPE TAP	
				In	mm	In	mm
D180009	9/16"	14	550	-	-	-	-
D180010	5/8"	16	530	-	-	-	-
D180011	11/16"	17	500	-	-	-	-
D180012	3/4"	19	460	3/8	10	1/2	13
D180098		20	425	-	-	-	-
D180013	13/16"	21	425	-	-	-	-
D180014	7/8"	22	390	1/2	13	3/4	19
D180015	15/16"	24	370	-	-	-	-
D180016	1"	25	350	-	-	-	-
D180017	1-1/16"	27	325	-	-	-	-
D180018	1-1/8"	29	300	3/4	19	1	25
D180019	1-3/16"	30	285	-	-	-	-
D180020	1-1/4"	32	275	-	-	-	-
D180021	1-5/16"	33	260	-	-	-	-
D180022	1-3/8"	35	250	1	25	-	-
D180023	1-7/16"	37	240	-	-	-	-
D180024	1-1/2"	38	230	-	-	1-1/4	32
D180025	1-9/16"	40	220	-	-	-	-
D180026	1-5/8"	41	210	-	-	-	-
D180027	1-11/16"	43	205	-	-	-	-
D180028	1-3/4"	44	195	1-1/4	32	1-1/2	38
D180029	1-13/16"	46	190	-	-	-	-
D180030	1-7/8"	48	180	-	-	-	-
D180032	2"	51	170	1-1/2	38	-	-
D180033	2-1/16"	52	165	-	-	-	-
D180034	2-1/8"	54	160	-	-	-	-

CAT #	SIZE Imperial	SIZE Metric	SPEED in steel	PIPE ENTRANCE*		PIPE TAP	
				In	mm	In	mm
D180036	2-1/4"	57	150	-	-	2	51
D180038	2-3/8"	60	140	-	-	-	-
D180040	2-1/2"	64	135	2	51	-	-
D180041	2-9/16"	65	130	-	-	-	-
D180042	2-5/8"	67	130	-	-	2-1/2	64
D180043		68	125	-	-	-	-
D180044	2-3/4"	70	125	-	-	-	-
D180046	2-7/8"	73	120	-	-	-	-
D180048	3"	76	115	2-1/2	64	-	-
D180050	3-1/8"	79	110	-	-	-	-
D180052	3-1/4"	83	105	-	-	3	76
D180054	3-3/8"	86	100	-	-	-	-
D180056	3-1/2"	89	95	-	-	-	-
D180058	3-5/8"	92	95	3	76	-	-
D180060	3-3/4"	94	90	-	-	3-1/2	89
D180062	3-7/8"	98	85	-	-	-	-
D180064	4"	102	85	-	-	-	-
D180066	4-1/8"	105	85	3-1/2	89	-	-
D180068	4-1/4"	108	80	-	-	4	102
D180072	4-1/2"	114	75	-	-	-	-
D180076	4-3/4"	121	70	-	-	4-1/2	114
D180080	5"	127	65	-	-	-	-
D180088	5-1/2"	140	60	-	-	-	-
D180096	6"	152	55	-	-	-	-

*Recommended - Values refer to nominal pipe size



D180005
14 Piece Master Hole Saw Kit
 Contains: 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2", DW1803, DW1810



D180004
Bi-Metal Door Lock Installation Kit
 Contains: Drill guide, 2-1/8" bi-metal hole saw, 1" bi-metal hole saw, mandrel with pilot drill bit, mandrel adapter with washer, detailed instructions

D180001 (not pictured)
9 Piece Plumber's Hole Saw Kit
 Contains: 3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4", DW1803, DW1810

D180002 (not pictured)
9 Piece Electrician's Hole Saw Kit
 Contains: 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2", DW1803, DW1810

HOLE SAW MANDRELS

Only Universal Quick Change Mandrel for 9/16"-1-3/16" Hole Saws



CAT #	SHANK	TYPE	HOLE SAW DIAMETER
DW1800	1/4" shank	Standard	9/16"-1-3/16"
DW1801	3/8" shank	Standard	9/16"-1-3/16"
DW1810	3/8" shank	Quick Change	9/16"-1-3/16"
DW1802	7/16" shank	Standard	1-1/4"-6"
DW1803	7/16" shank	Quick Change	1-1/4"-6"
DW1805	3/8" shank	Quick Change	1-1/4"-3"
DW1808	Pilot Bit		
DW1818	3/8" shank	Standard	1-1/4"-3"
DW1807	Short Pilot Bit		

WOOD CUTTING RECIPROCATING SAW BLADES




CAT #	LENGTH	TPI	BODY TYPE
Wood Cutting 2 Packs			
DW4802-2	6"	6	Taper
DW4804-2	12"	6	Taper
DW4847-2	6"	5/8	Taper
Wood Cutting 5 Packs			
DW4801	6"	3	Taper
DW4802	6"	6	Taper
DW4803	9"	6	Taper
DW4804	12"	6	Taper
DW4847	6"	5/8	Taper
DW4848	9"	5/8	Taper
DW4849	12"	5/8	Taper

CAT #	LENGTH	TPI	BODY TYPE
Wood Cutting 10 Pack			
DW4802-10	6"	6	Taper
Wood Cutting 25 Packs			
DW4802B25	6"	6	Taper
DW4803B25	9"	6	Taper
DW4804B25	12"	6	Taper
DW4847B25	6"	5/8	Taper
Wood Cutting 100 Packs			
DW4802B	6"	6	Taper
DW4803B	9"	6	Taper
DW4804B	12"	6	Taper
Multi-Material 2 Packs			
DW4806-2	6"	10	Straight
DW4845-2	6"	10/14	Straight

CAT #	LENGTH	TPI	BODY TYPE
Multi-Material 5 Packs			
DW4850	6"	6	Straight
DW4806	6"	10	Straight
DW4845	6"	10/14	Straight
DW4846	8"	10/14	Straight
Multi-Material 25 Packs			
DW4806B25	6"	10	Straight
DW4845B25	6"	10/14	Straight
DW4846B25	8"	10/14	Straight
Multi-Material 100 Packs			
DW4806B	6"	10	Straight
DW4845B	6"	10/14	Straight
DW4846B	8"	10/14	Straight


METAL CUTTING RECIPROCATING SAW BLADES



CAT #	LENGTH	TPI	BODY TYPE
2 Packs			
DW4808-2	6"	14	Straight
DW4810-2	4"	18	Straight
DW4811-2	6"	18	Straight
DW4813-2	6"	24	Straight
5 Packs			
DW4807	4"	14	Straight
DW4808	6"	14	Straight
DW4809	8"	14	Straight
DW4838	12"	14	Straight
DW4810	4"	18	Straight
DW4811	6"	18	Straight
DW4821	8"	18	Straight
DW4812	4"	24	Straight
DW4813	6"	24	Straight

CAT #	LENGTH	TPI	BODY TYPE
10 Pack			
DW4811-10	6"	18	Straight
25 Packs			
DW4807B25	4"	14	Straight
DW4808B25	6"	14	Straight
DW4809B25	8"	14	Straight
DW4839B25	12"	10/14	Straight
DW4810B25	4"	18	Straight
DW4811B25	6"	18	Straight
DW4821B25	8"	18	Straight
DW4822B25	12"	18	Straight
DW4812B25	4"	24	Straight
DW4813B25	6"	24	Straight

CAT #	LENGTH	TPI	BODY TYPE
100 Packs			
DW4807B	4"	14	Straight
DW4808B	6"	14	Straight
DW4809B	8"	14	Straight
DW4839B	12"	10/14	Straight
DW4811B	6"	18	Straight
DW4821B	8"	18	Straight
DW4813B	6"	24	Straight



DEMOLITION RECIPROCATING SAW BLADES



CAT #	LENGTH	TPI	BODY TYPE
5 Packs			
DW4862	6"	6	Taper
DW4863	9"	6	Taper
DW4860	12"	6	Taper
DW4861	4"	10	Straight
DW4864	6"	10	Straight
DW4865	9"	10	Straight
DW4870	12"	10	Straight
DW4866	6"	14	Straight
DW4868	9"	14	Straight
DW4867	6"	18	Straight
DW4869	9"	18	Straight
DW4871	12"	18	Straight

CAT #	LENGTH	TPI	BODY TYPE
25 Packs			
DW4863B25	9"	6	Taper
DW4865B25	9"	10	Straight
100 Packs			
DW4863B	9"	6	Taper
DW4864B	6"	10	Straight
DW4865B	9"	10	Straight
DW4866B	6"	14	Straight
DW4868B	9"	14	Straight

MISCELLANEOUS RECIPROCATING SAW BLADES

CAT #	LENGTH	TPI	BODY TYPE
3 Packs			
DW4876	6"	5/8	Cordless
DW4878	6"	18	Cordless
5 Packs			
DW4814	3-1/2"	14	Scrolling
DW4815	3-1/2"	18	Scrolling
DW4816	6"	6	Scrolling
DW4851	6"	6	Drywall
DW4843	8"	Coarse	Carbide Grit
DW4844	6"	Coarse	Carbide Grit

RECIPROCATING SAW BLADE SETS

DW4853 3 Piece Cordless Wood/Metal Cutting Set		DW4856 6 Piece Wood/Metal Cutting Set		DW4857 5 Piece Wood/Metal Cutting Set		DW4890 15 Piece Wood/Metal Cutting Set in Tough Case™		DW4892 12 Piece Wood/Metal Cutting Set in Case		DW4896 6 Piece Wood/Metal Cutting Set in Case	
---	--	---	--	---	--	--	--	---	--	--	--

EXPANDABLE TOUGH CASE™ CONTAINER

- Adjusts for 6" & 9" Blades
- Fits in Power Tool Case
- Fast Blade Access



JIG SAW BLADES



CAT #	LENGTH	TPI	APPLICATION	SHANK
2 Packs				
DW3700H2	4"	6	Fast Wood Cutting HCS	U
DW3703H2	4"	6	Fast, Clean Wood Cutting HCS	U
DW3705H2	4"	8	Aluminum/Fiberglass HCS	U
DW3710H2	4"	10	Fine Finish Wood Cutting HCS	U
DW3712H2	4"	10	Downcutting HCS	U
DW3715H2	3"	12	Scrolling HCS	U
DW3750H2	4"	6	Fast Wood Cutting HCS	T
DW3753H2	4"	6	Fast, Clean Wood Cutting HCS	T
DW3755H2	4"	8	Aluminum/Fiberglass HCS	T
DW3760H2	4"	10	Fine Finish Wood Cutting HCS	T
DW3762H2	4"	10	Downcutting HCS	T
DW3765H2	3"	12	Scrolling HCS	T
5 Packs				
DW3700H	4"	6	Fast Wood Cutting HCS	U
DW3703H	4"	6	Fast, Clean Wood Cutting HCS	U
DW3705H	4"	8	Aluminum/Fiberglass HCS	U
DW3710H	4"	10	Fine Finish Wood Cutting HCS	U
DW3712H	4"	10	Downcutting HCS	U
DW3715H	3"	12	Scrolling HCS	U
DW3720-5	3"	14	Thick Metal Cutting BiMetal	U
DW3724-5	3"	18	Medium Metal Cutting BiMetal	U
DW3726-5	3"	24	Thin Metal Cutting BiMetal	U
DW3728-5	3"	36	Sheet Metal Cutting BiMetal	U
DW3750H	4"	6	Fast Wood Cutting HCS	T
DW3753H	4"	6	Fast, Clean Wood Cutting HCS	T
DW3755H	4"	8	Aluminum/Fiberglass HCS	T

CAT #	LENGTH	TPI	APPLICATION	SHANK
5 Packs (continued)				
DW3760H	4"	10	Fine Finish Wood Cutting HCS	T
DW3762H	4"	10	Downcutting HCS	T
DW3765H	3"	12	Scrolling HCS	T
DW3770-5	3"	14	Thick Metal Cutting BiMetal	T
DW3774-5	3"	18	Medium Metal Cutting BiMetal	T
DW3776-5	3"	24	Thin Metal Cutting BiMetal	T
DW3778-5	3"	36	Sheet Metal Cutting BiMetal	T
50 Packs				
DW3700H50	4"	6	Fast Wood Cutting HCS	U
DW3703H50	4"	6	Fast, Clean Wood Cutting HCS	U
DW3710H50	4"	10	Fine Finish Wood Cutting HCS	U
DW3712H50	4"	10	Downcutting HCS	U
DW3715H50	3"	12	Scrolling HCS	U
DW3720B50	3"	14	Thick Metal Cutting BiMetal	U
DW3724B50	3"	18	Medium Metal Cutting BiMetal	U
DW3726B50	3"	24	Thin Metal Cutting BiMetal	U
DW3728B50	3"	36	Sheet Metal Cutting BiMetal	U
DW3750H50	4"	6	Fast Wood Cutting HCS	T
DW3753H50	4"	6	Fast, Clean Wood Cutting HCS	T
DW3755H50	4"	8	Aluminum/Fiberglass HCS	T
DW3760H50	4"	10	Fine Finish Wood Cutting HCS	T
DW3762H50	4"	10	Downcutting HCS	T
DW3770B50	3"	14	Thick Metal Cutting BiMetal	T
DW3774B50	3"	18	Medium Metal Cutting BiMetal	T
DW3776B50	3"	24	Thin Metal Cutting BiMetal	T
DW3778B50	3"	36	Sheet Metal Cutting BiMetal	T


DW3791
8 Piece T-Shank Jig Saw Blade Set



DW3795H
5 Piece T-Shank Jig Saw Blade Set



DW3790
8 Piece Bi-Metal U-Shank Jig Saw Blade Set



DW3799
25 Piece HCS U-Shank Jig Saw Blade Set



DW3792H
8 Piece HCS/HSS U-Shank Jig Saw Blade Set



PORTABLE BANDSAW BLADES



CAT #	LENGTH	HEIGHT	THICKNESS	TPI
3 Packs				
DW3981	44-7/8"	1/2"	.020"	10
DW3982	44-7/8"	1/2"	.020"	14
DW3983	44-7/8"	1/2"	.020"	18
DW3984	44-7/8"	1/2"	.020"	24
DW3985	44-7/8"	1/2"	.020"	10/14
DW3986	44-7/8"	1/2"	.020"	14/18
DW3987	44-7/8"	1/2"	.025"	10
DW3988	44-7/8"	1/2"	.025"	14
DW3989	44-7/8"	1/2"	.025"	18
DW3991	44-7/8"	1/2"	.025"	10/14
DW3992	44-7/8"	1/2"	.025"	14/18
100 Packs				
DW3981B	44-7/8"	1/2"	.020"	10
DW3982B	44-7/8"	1/2"	.020"	14
DW3983B	44-7/8"	1/2"	.020"	18
DW3984B	44-7/8"	1/2"	.020"	24
DW3985B	44-7/8"	1/2"	.020"	10/14
DW3986B	44-7/8"	1/2"	.020"	14/18

PVC SAW & BLADES



CAT #	DESCRIPTION
DW3993	18" Blade & Handle
DW3994	12" Blade & Handle
DW3995	18" Replacement Blade
DW3996	12" Replacement Blade




Flush Cutting Capability

HACK SAW FRAME & BLADES



CAT #	DESCRIPTION	CAT #	LENGTH	TPI
Frame				
DW3970	12" High Tension Frame	10 Packs		
Blades				
DW3971	10"	DW3971-10	10"	18
DW3972	10"	DW3972-10	10"	24
DW3973	10"	DW3973-10	10"	32
DW3974	12"	DW3974-10	12"	14
DW3975	12"	DW3975-10	12"	18
DW3976	12"	DW3976-10	12"	24
DW3977	12"	DW3977-10	12"	32
100 Packs				
DW3974B	12"	DW3974B	12"	14
DW3975B	12"	DW3975B	12"	18
DW3976B	12"	DW3976B	12"	24
DW3977B	12"	DW3977B	12"	32

CARBIDE TIPPED PORTABLE CONSTRUCTION SAW BLADES



CAT #	DESCRIPTION	DIAMETER	TEETH	ARBOR	HOOK ANGLE	KERF INCHES
6-1/2" Blades						
DW3161	Combination	6-1/2"	18	5/8"	+25°	.071"
7-1/4" Blades						
DW3171	Combination	7-1/4"	16	5/8"	+25°	.071"
DW3192	Combination	7-1/4"	18	5/8"	+15°	.071"
DW3173	Combination	7-1/4"	20	5/8"	+25°	.071"
DW3174	Pressure Treated/Wet Lumber	7-1/4"	20	5/8"	+25°	.071"
DW3178	Framing	7-1/4"	24	5/8"	+18°	.071"
DW3176	Combination	7-1/4"	36	5/8"	+15°	.071"
8-1/4" Blades						
DW3182	Combination	8-1/4"	24	5/8"	+20°	.076"
DW3184	Combination	8-1/4"	40	5/8"	+15°	.076"
Bulk Packs						
DW3571	Bulk-25 pack	7-1/4"	16	5/8"	+25°	.071"
DW3592B10	Bulk-10 pack	7-1/4"	18	5/8"	+15°	.071"
DW3578B10	Bulk-10 pack	7-1/4"	24	5/8"	+18°	.071"
DW3576B10	Bulk-10 pack	7-1/4"	36	5/8"	+15°	.071"
DW3582	Bulk-10 pack	8-1/4"	24	5/8"	+20°	.076"
DW3574	Pressure Treated/Wet Lumber	7-1/4"	20	5/8"	+25°	.071"
DW3599B10	Framing Thin Kerf-10 pack	7-1/4"	24	5/8"	+18°	.059"



NAIL CUTTING PORTABLE CONSTRUCTION SAW BLADES



CAT #	DESCRIPTION	DIA.	TEETH	ARBOR	HOOK ANGLE	KERF INCHES
7-1/4" Blades						
DW3191	Nail Cutting	7-1/4"	18	5/8"	+15°	.071"
Bulk Packs						
DW3591B10	Bulk	7-1/4"	18	5/8"	+15°	.071"

CONSTRUCTION SAW BLADE FOR HARDIPLANK® FIBER CEMENT



CAT #	DESCRIPTION	DIA.	TEETH	ARBOR	HOOK ANGLE	KERF INCHES
7-1/4" Blade						
DW3193	Fiber Cement Cutting	7-1/4"	6	5/8"	-5°	.090"

CORDLESS CONSTRUCTION SAW BLADES



CAT #	DESCRIPTION	DIAMETER	TEETH	ARBOR	HOOK ANGLE	KERF INCHES
5-3/8" Blades						
DW9055	Fast Woodcutting	5-3/8"	16	10mm"	20°	.059"
DW9054	Smooth Woodcutting	5-3/8"	24	10mm"	20°	.059"
DW9052	Aluminum/Nonferrous Metals	5-3/8"	30	10mm"	3°	.059"
DW9053	Steel Saw Blade (Vinyl/Paneling)	5-3/8"	80	5/8"	-10°/-45°	.059"
6-1/2" Blades						
DW9155	Fast Cutting	6-1/2"	18	5/8"	20°	.059"
DW9154	Framing	6-1/2"	24	5/8"	20°	.059"
DW9152	Aluminum Cutting Blade	6-1/2"	36	5/8"	3°	.059"
DW9153	Steel Saw Blade (Vinyl/Paneling)	6-1/2"	90	5/8"	35°	.059"
Bulk Packs						
DW9058	Combo (DW9052, DW9055)	5-3/8"	16/30	10mm"	+3°/+20°	.059"
DW9059C5	Combo (DW9052, DW9053, DW9054)	5-3/8"	24/30/78	10mm"	+18°/-45°/+20°	.059"
DW9158	Combo (DW9155 & DW9154)	6-1/2"	18/24	5/8"	20°	.059"




STEEL CIRCULAR SAW BLADES



CAT #	DESCRIPTION	DIAMETER	TEETH	ARBOR	CAT #	DESCRIPTION	DIAMETER	TEETH	ARBOR
6-1/2" Blades					8-1/4" Blades				
DW3310	Steel Fast Cut	6-1/2"	24	5/8"	DW3350	Steel Combination	8-1/4"	40	5/8"
7-1/4" Blades					10" Blades				
DW3330	Iron/Steel	7-1/4"	16 Slots	5/8"	DW3370	Steel Fast Cut	10"	28	5/8"
DW3323	Steel Fast Cut	7-1/4"	26	5/8"	DW3372	Steel Hollow Ground Planer	10"	80	5/8"
DW3325	Steel Combo	7-1/4"	40	5/8"	Bulk Packs				
DW3327	Steel Hollow Ground Planer	7-1/4"	60	5/8"	DW3523	Combo - Bulk	7-1/4"	26	5/8"
DW3332	Steel Master Combo	7-1/4"	60	5/8"	DW3526	Hollow Ground Ply - Bulk	7-1/4"	140	5/8"
DW3329	Steel Non-ferrous Steel	7-1/4"	68	5/8"					
DW3324	Steel Crosscut	7-1/4"	100	5/8"					
DW3524	Crosscut	7-1/4"	100	5/8"					

LARGE DIAMETER CONSTRUCTION SAW BLADES




CAT #	DESCRIPTION	DIAMETER	TEETH	ARBOR	HOOK ANGLE	KERF INCHES
10" Blades						
DW3112	Fast Ripping Table Saw	10"	24	5/8"	+15°	.095"
DW3103	General Purpose	10"	32	5/8"	+5°	.095"
DW3114	General Purpose	10"	40	5/8"	+10°	.095"
DW3106	Fine Finish	10"	60	5/8"	+5°	.095"
12" Blades						
DW3123	General Purpose	12"	32	1"	-5°	.095"
DW3126	Fine Finish	12"	60	1"	0°	.095"
DW3128	Fine Crosscuts	12"	80	1"	+5°	.095"
Combo Packs						
DW3106P5	10" Combo Pack (DW3106 & DW3103)	10"		5/8"		60, 32
DW3128P5	12" Combo Pack (DW3128 & DW3123)	12"		1"		80, 32



PRECISION TRIM SAW BLADES



CAT #	DESCRIPTION	DIAMETER	TEETH	ARBOR	HOOK ANGLE	TOOTH GRIND	KERF	MAX. SPEED
8-1/4" Blades								
DW7118PT	Fine Crosscutting	8-1/2"	60	5/8"	-5°	ATB	.063"	9000rpm
10" Blades								
DW7124PT	Fast Ripping	10"	24	5/8"	20°	FT	.071"	6000rpm
DW7140PT	Ripping / Crosscutting	10"	40	5/8"	20°	ATB	.071"	6000rpm
DW7150PT	Combination	10"	50	5/8"	15°	ATB+R	.071"	6000rpm
DW3215PT	Smooth Crosscutting	10"	60	5/8"	10°	ATB	.071"	6000rpm
DW3218PT	Fine Crosscutting	10"	80	5/8"	10°	ATB	.071"	6000rpm
12" Blades								
DW3216PT	Smooth Crosscutting	12"	60	1"	-5°	ATB	.079"	4800rpm
DW3232PT	Fine Crosscutting	12"	80	1"	-5°	ATB	.079"	4800rpm
DW7296PT	Ultra-Smooth Crosscutting	12"	96	1"	-5°	ATB	.079"	4800rpm



FERROUS METAL CUTTING SAW BLADES



CAT #	DIAMETER	TEETH	ARBOR	HOOK ANGLE	KERF	TOOTH GRIND	MAX. SPEED
Stationary							
DW7737	12"	60	1"	0°	0.087"	M-ATB	1,800rpm
DW7739	12"	80	1"	0°	0.087"	M-ATB	1,800rpm
DW7747	14"	70	1"	0°	0.087"	M-ATB	1,800rpm
DW7745	14"	90	1"	0°	0.087"	M-ATB	1,800rpm
DW7749	14"	90	1"	0°	0.087"	M-ATB	1,800rpm
Corded							
DW7799	7-1/4"	48	5/8"	0°	0.079"	ATB	5,800rpm
Cordless							
DW7763	6-3/4"	40	20mm	0°	0.069"	M-ATB	3,500rpm



Let the blade do the work; do not force blade through the material.

DRYWALL BITS



CAT #	DESCRIPTION	SIZE	OVERALL LENGTH
DW6601	General Purpose Bit	1/8"	2 3/4"
DW6603	Drywall/Outlet Bit	1/8"	2 1/4"
DW6605	Piloted Drywall Bit	1/8"	2 3/8"
DW6609	Window & Door Bit	1/4"	3 1/4"

CARBIDE BURR BITS



CAT #	DESCRIPTION	SIZE	OVERALL LENGTH
DW6611	1/8" Carbide Burr Bit	1/8"	2"
DW6613	1/4" Carbide Burr Bit	1/4"	2"

16 GAUGE GALVANIZED FINISH NAILS



CAT #	DESCRIPTION	LENGTH
Angled		
DCA16125	Heavy-Duty 20° Angled	1-1/4"
DCA16150	Heavy-Duty 20° Angled	1-1/2"
DCA16200	Heavy-Duty 20° Angled	2"
DCA16250	Heavy-Duty 20° Angled	2-1/2"
Straight		
DCS16125	Heavy-Duty Straight	1-1/4"
DCS16150	Heavy-Duty Straight	1-1/2"
DCS16200	Heavy-Duty Straight	2"
DCS16250	Heavy-Duty Straight	2-1/2"

RANDOM ORBIT SANDPAPER



CAT #	DESCRIPTION	SIZE	GRIT	QTY	CAT #	DESCRIPTION	SIZE	GRIT	QTY
5"					5" (Continued)				
DW4301	8 Hole Hook and Loop	5"	80	5	DW4311	8 Hole Hook and Loop	5"	120	25
DW4303	8 Hole Hook and Loop	5"	120	5	DW4312	8 Hole Hook and Loop	5"	150	25
DW4304	8 Hole Hook and Loop	5"	150	5	DW4314	8 Hole Hook and Loop	5"	220	25
DW4306	8 Hole Hook and Loop	5"	220	5	6"				
DW4307	8 Hole Hook and Loop	5"	Assortment	5	DW4331	6 Hole Hook and Loop	6"	80	5
DW4309	8 Hole Hook and Loop	5"	80	25	DW4333	6 Hole Hook and Loop	6"	120	5
DW4310	8 Hole Hook and Loop	5"	100	25	DW4334	6 Hole Hook and Loop	6"	150	5



WORKSITE STORAGE

FULL TOOL BELT SETS

All DEWALT Tool Belts and Bags share these quality features:

- Heavy-duty ballistic nylon or top grain leather provides maximum durability
- Reinforced solid steel rivets prevent pull through
- Double stitching for longer life
- Reinforced belt tunnel is 2X more durable
- Heat formed pockets for easy access



D5100SM / D5100LG
Ballistic Nylon



D5101SM / D5101LG
Top Grain Leather

POUCHES

D5104

Heavy-Duty Tool Pouch

- Ballistic nylon
- Dedicated tool storage provides organization



D5106

Heavy-Duty Nail Pouch

- Ballistic nylon
- Dedicated nail storage provides organization



D5110

Fastener Pouch

- Ballistic nylon
- Large main pocket for bulk storage
- 4 heat formed pockets
- Size: 8.9"W x 12"H



D5122

Drywall Pouch

- Ballistic nylon
- Large main pocket for greater capacity
- Keyhole saw loop
- Tape measure holder
- Size: 7"W x 8.3"H



D5126

Telecommunication's Pouch

- Ballistic nylon
- Large main pocket with 2 compartments for organization
- 2 interior hand tool loops
- 3 heat formed pockets for hand tools
- Electrical tape holder
- Size: 8.2"W x 8.8"H



D5136

Trim Carpenter's Pouch

- Ballistic nylon
- 2 large pockets
- 4 additional pockets for dedicated storage
- Lightweight hammer holder
- Size: 8.2"W x 8.8"H



TOOL BAGS

- Ballistic nylon
- Reinforced bottom and side panel protects all contents
- Double stitching and steel rivets for maximum durability
- Interior/exterior pockets

D6100

Heavy-Duty 21" Tool Bag

- Size: 21"L x 11"W x 11.5"H



D6050

Heavy-Duty 17" Tool Bag

- Size: 17"L x 11"W x 8.5"H



ACCESSORIES

D5120

Universal Drill Holder

- Ballistic nylon
- Designed for both left- and right-handed users
- Accepts mid-handle or pistol grip drills
- Nylon strap and buckle keeps drill in place when not in use
- Size: 6"W x 14"H



D5130

Tape Measure Holder

- Ballistic nylon
- Holds up to 35' tape
- Size: 4.5"W x 6"H



D5118

Electrical Test Kit Pouch

- Ballistic nylon
- Single pocket fits most test kits
- Retention strap keeps test kit in place
- Size: 4.4"W x 8.1"H



D5112

Technician's Pouch

- Ballistic nylon
- Large single pocket
- 3 inner slots for tool storage
- Size: 4.8"W x 8.7"H



D5124

Hammer Holder

- Ballistic nylon




D5115SM/D5115LG

Heavy-Duty Work Belt

- Thick padding for greater comfort
- Works in conjunction with D5117 Comfort Belt



TYPE 27 - GRINDING WHEELS




GENERAL PURPOSE

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Notching					
DW8750	4-1/2"	3/32"	7/8"	Metal Cutting & Notching	13,300
DW8751	4-1/2"	3/32"	5/8"-11	Metal Cutting & Notching	13,300
DW8752	5"	3/32"	7/8"	Metal Cutting & Notching	12,200
DW8753	5"	3/32"	5/8"-11	Metal Cutting & Notching	12,200
DW8754	6"	3/32"	7/8"	Metal Cutting & Notching	10,100
DW8755	6"	3/32"	5/8"-11	Metal Cutting & Notching	10,100
DW8756	7"	3/32"	7/8"	Metal Cutting & Notching	8,700
DW8757	7"	3/32"	5/8"-11	Metal Cutting & Notching	8,700
DW8758	9"	3/32"	7/8"	Metal Cutting & Notching	6,600
DW8759	9"	3/32"	5/8"-11	Metal Cutting & Notching	6,600
Metal Cutting / Light Grinding					
DW4418	4"	1/8"	5/8"	Metal Cutting	15,200
DW4518	4-1/2"	1/8"	7/8"	Metal Cutting	13,300
DW4522	4-1/2"	1/8"	5/8"-11	Metal Cutting	13,300
DW4618	5"	1/8"	7/8"	Metal Cutting	12,200
DW4526	5"	1/8"	5/8"-11	Metal Cutting	12,200
DW8467	6"	1/8"	7/8"	Metal Cutting	10,100
DW4627	6"	1/8"	5/8"-11	Metal Cutting	10,100
DW4750	7"	1/8"	7/8"	Metal Cutting	8,700
DW4751	7"	1/8"	5/8"-11	Metal Cutting	8,700
DW4752	9"	1/8"	7/8"	Metal Cutting	6,600
DW4753	9"	1/8"	5/8"-11	Metal Cutting	6,600

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Metal Grinding					
DW4419	4"	1/4"	5/8"	Metal Grinding	15,200
DW4514	4-1/2"	1/4"	7/8"	Metal Grinding	13,300
DW4523	4-1/2"	1/4"	5/8"-11	Metal Grinding	13,300
DW4619	5"	1/4"	7/8"	Metal Grinding	12,200
DW4623	5"	1/4"	5/8"-11	Metal Grinding	12,200
DW4624	6"	1/4"	7/8"	Metal Grinding	10,100
DW4626	6"	1/4"	5/8"-11	Metal Grinding	10,100
DW4719	7"	1/4"	7/8"	Metal Grinding	8,700
DW4999	7"	1/4"	5/8"-11	Metal Grinding	8,700
DW4949	9"	1/4"	7/8"	Metal Grinding	6,600
DW4954	9"	1/4"	5/8"-11	Metal Grinding	6,600
Fast Material Removal					
DW4541	4-1/2"	1/4"	7/8"	Fast Metal Grinding	13,300
DW4542	4-1/2"	1/4"	5/8"-11	Fast Metal Grinding	13,300
DW4543	5"	1/4"	7/8"	Fast Metal Grinding	12,200
DW4544	5"	1/4"	5/8"-11	Fast Metal Grinding	12,200
DW4545	6"	1/4"	7/8"	Fast Metal Grinding	10,100
DW4546	6"	1/4"	5/8"-11	Fast Metal Grinding	10,100
DW4547	7"	1/4"	7/8"	Fast Metal Grinding	8,700
DW4548	7"	1/4"	5/8"-11	Fast Metal Grinding	8,700
DW4549	9"	1/4"	7/8"	Fast Metal Grinding	6,600
DW4550	9"	1/4"	5/8"-11	Fast Metal Grinding	6,600

TYPE 27 - GRINDING WHEELS




EXTENDED PERFORMANCE ZIRCONIA STAINLESS STEEL

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Metal Cutting / Notching					
DW8800	4"	3/32"	5/8"	Metal Cutting & Notching	15,200
DW8804	4-1/2"	3/32"	7/8"	Metal Cutting & Notching	13,300
DW8805	4-1/2"	3/32"	5/8"-11	Metal Cutting & Notching	13,300
DW8810	5"	3/32"	7/8"	Metal Cutting & Notching	12,200
DW8811	5"	3/32"	5/8"-11	Metal Cutting & Notching	12,200
DW8816	6"	3/32"	7/8"	Metal Cutting & Notching	10,100
DW8817	6"	3/32"	5/8"-11	Metal Cutting & Notching	10,100
DW8822	7"	3/32"	7/8"	Metal Cutting & Notching	8,700
DW8823	7"	3/32"	5/8"-11	Metal Cutting & Notching	8,700
DW8828	9"	3/32"	7/8"	Metal Cutting & Notching	6,600
DW8829	9"	3/32"	5/8"-11	Metal Cutting & Notching	6,600
Pipeline Cutting / Grinding					
DW8801	4"	1/8"	3/8"	Pipeline Cutting/Grinding	15,200
DW8802	4"	1/8"	5/8"	Pipeline Cutting/Grinding	15,200
DW8806	4-1/2"	1/8"	7/8"	Pipeline Cutting/Grinding	13,300
DW8807	4-1/2"	1/8"	5/8"-11	Pipeline Cutting/Grinding	13,300
DW8812	5"	1/8"	7/8"	Pipeline Cutting/Grinding	12,200
DW8813	5"	1/8"	5/8"-11	Pipeline Cutting/Grinding	12,200

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Pipeline Cutting / Grinding (continued)					
DW8818	6"	1/8"	7/8"	Pipeline Cutting/Grinding	10,100
DW8819	6"	1/8"	5/8"-11	Pipeline Cutting/Grinding	10,100
DW8824	7"	1/8"	7/8"	Pipeline Cutting/Grinding	8,700
DW8825	7"	1/8"	5/8"-11	Pipeline Cutting/Grinding	8,700
DW8830	9"	1/8"	7/8"	Pipeline Cutting/Grinding	6,600
DW8831	9"	1/8"	5/8"-11	Pipeline Cutting/Grinding	6,600
Metal Grinding					
DW8803	4"	1/4"	5/8"	Metal Grinding	15,200
DW8808	4-1/2"	1/4"	7/8"	Metal Grinding	13,300
DW8809	4-1/2"	1/4"	5/8"-11	Metal Grinding	13,300
DW8814	5"	1/4"	7/8"	Metal Grinding	12,200
DW8815	5"	1/4"	5/8"-11	Metal Grinding	12,200
DW8820	6"	1/4"	7/8"	Metal Grinding	10,100
DW8821	6"	1/4"	5/8"-11	Metal Grinding	10,100
DW8826	7"	1/4"	7/8"	Metal Grinding	8,700
DW8827	7"	1/4"	5/8"-11	Metal Grinding	8,700
DW8832	9"	1/4"	7/8"	Metal Grinding	6,600
DW8833	9"	1/4"	5/8"-11	Metal Grinding	6,600

TYPE 27 - GRINDING WHEELS/CUTTING WHEELS



CONCRETE/MASONRY


CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Concrete/Masonry Cutting					
DW4428	4"	1/8"	5/8"	Concrete Cutting	15,200
DW4528	4-1/2"	1/8"	7/8"	Concrete Cutting	13,300
DW4552	4-1/2"	1/8"	5/8"-11	Concrete Cutting	13,300
DW4628	5"	1/8"	7/8"	Concrete Cutting	12,200
DW4658	5"	1/8"	5/8"-11	Concrete Cutting	12,200
DW4728	7"	1/8"	7/8"	Concrete Cutting	8,700
DW4758	7"	1/8"	5/8"-11	Concrete Cutting	8,700
DW4928	9"	1/8"	7/8"	Concrete Cutting	6,600
DW4929	9"	1/8"	5/8"-11	Concrete Cutting	6,600

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Concrete/Masonry Grinding					
DW4429	4"	1/4"	5/8"	Concrete Grinding	15,200
DW4524	4-1/2"	1/4"	7/8"	Concrete Grinding	13,300
DW4551	4-1/2"	1/4"	5/8"-11	Concrete Grinding	13,300
DW4629	5"	1/4"	7/8"	Concrete Grinding	12,200
DW4553	5"	1/4"	5/8"-11	Concrete Grinding	12,200
DW4554	7"	1/4"	7/8"	Concrete Grinding	8,700
DW4759	7"	1/4"	5/8"-11	Concrete Grinding	8,700
DW4557	9"	1/4"	7/8"	Concrete Grinding	6,600
DW4959	9"	1/4"	5/8"-11	Concrete Grinding	6,600

TYPE 27 - GRINDING WHEELS/CUTTING WHEELS



Free of Iron, Sulfur & Chlorine



STAINLESS STEEL CONTAMINANT FREE


CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Stainless Steel Cutting					
DW8452	4-1/2"	1/8"	7/8"	Stainless Cutting	13,300
DW8454	5"	1/8"	7/8"	Stainless Cutting	12,200
DW8456	7"	1/8"	7/8"	Stainless Cutting	8,700
DW8458	9"	1/8"	7/8"	Stainless Cutting	6,600
Stainless Steel Grinding					
DW8410	4"	1/4"	5/8"	Stainless Grinding	15,200
DW8414	4-1/2"	1/4"	7/8"	Stainless Grinding	13,300

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Stainless Steel Grinding (continued)					
DW8415	4-1/2"	1/4"	5/8"-11	Stainless Grinding	13,300
DW8464	5"	1/4"	7/8"	Stainless Grinding	12,200
DW8416	5"	1/4"	5/8"-11	Stainless Grinding	12,200
DW8466	7"	1/4"	7/8"	Stainless Grinding	8,700
DW8417	7"	1/4"	5/8"-11	Stainless Grinding	8,700
DW8468	9"	1/4"	7/8"	Stainless Grinding	6,600
DW8419	9"	1/4"	5/8"-11	Stainless Grinding	6,600

TYPE 27 - GRINDING WHEELS/CUTTING WHEELS



ALUMINUM




CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8400	4"	1/4"	5/8"	Aluminum Grinding	15,200
DW8404	4-1/2"	1/4"	7/8"	Aluminum Grinding	13,300
DW8405	4-1/2"	1/4"	5/8"-11	Aluminum Grinding	13,300
DW8474	5"	1/4"	7/8"	Aluminum Grinding	12,200

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8406	5"	1/4"	5/8"-11	Aluminum Grinding	12,200
DW8476	7"	1/4"	7/8"	Aluminum Grinding	8,700
DW8407	7"	1/4"	5/8"-11	Aluminum Grinding	8,700
DW8409	9"	1/4"	5/8"-11	Aluminum Grinding	6,600

TYPE 27 - GRINDING WHEELS/CUTTING WHEELS



PIPELINE CUTTING & GRINDING




CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8434	4-1/2"	1/8"	7/8"	Pipeline Cutting/Grinding	13,300
DW8435	4-1/2"	1/8"	5/8"-11	Pipeline Cutting/Grinding	13,300
DW8484	5"	1/8"	7/8"	Pipeline Cutting/Grinding	12,200
DW8436	5"	1/8"	5/8"-11	Pipeline Cutting/Grinding	12,200
DW8485	6"	1/8"	7/8"	Pipeline Cutting/Grinding	10,100

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8438	6"	1/8"	5/8"-11	Pipeline Cutting/Grinding	10,100
DW8486	7"	1/8"	7/8"	Pipeline Cutting/Grinding	8,700
DW8437	7"	1/8"	5/8"-11	Pipeline Cutting/Grinding	8,700
DW8487	9"	1/8"	7/8"	Pipeline Cutting/Grinding	6,600
DW8439	9"	1/8"	5/8"-11	Pipeline Cutting/Grinding	6,600

TYPE 27 - GRINDING WHEELS/CUTTING WHEELS



METAL THIN CUTTING STAINLESS STEEL




CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8420	4"	.045"	5/8"	Metal Cutting	15,200
DW8424	4-1/2"	.045"	7/8"	Metal Cutting	13,300
DW8425	5"	.045"	7/8"	Metal Cutting	12,200

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8426	6"	.045"	7/8"	Metal Cutting	10,100
DW8427	7"	.045"	7/8"	Metal Cutting	8,700

TYPE 28 - GENERAL PURPOSE GRINDING



GENERAL PURPOSE



CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Metal Grinding					
DW8445	7"	1/4"	7/8"	Metal Grinding	8,700
DW8446	7"	1/4"	5/8"-11	Metal Grinding	8,700


CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8447	9"	1/4"	7/8"	Metal Grinding	6,600
DW8448	9"	1/4"	5/8"-11	Metal Grinding	6,600

TYPE 11 - CUP WHEELS

GENERAL PURPOSE



CONCRETE/MASONRY CUTTING




CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Metal Grinding					
DW4960	4"	2"	5/8"-11	Metal Grinding	9,000
DW4964	6"	2"	5/8"-11	Metal Grinding	6,000

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Concrete/Masonry Grinding					
DW4961	4"	2"	5/8"-11	Concrete Grinding	9,000
DW4965	6"	2"	5/8"-11	Concrete Grinding	6,000

TYPE 1 - CUTTING WHEELS CHOP SAW & STATIONARY SAW CUTOFF WHEELS

GENERAL PURPOSE




CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8005	10"	7/64"	5/8"	Metal Cutting	6,100
DW8004	12"	7/64"	1"	Metal Cutting	5,000
DW8001	14"	7/64"	1"	General Purpose	4,300
DW8002	14"	7/64"	1"	Bar Cutter	4,300
DW8003	14"	7/64"	1"	Stud Cutting	4,300

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8010	16"	7/64"	1"	Metal Cutting	3,800
Premium ceramic coated grain for faster cutting and longer life.					
DW8057	12"	7/64"	1"	Metal Cutting	5,000
DW8059	14"	7/64"	1"	Stud Cutting	4,300

TYPE 1 - CUTTING WHEELS CHOP SAW & STATIONARY SAW CUTOFF WHEELS

CONCRETE/MASONRY CUTTING



CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8009	10"	1/8"	5/8"	Concrete Cutting	6,100
DW8008	12"	1/8"	1"	Concrete Cutting	5,000


CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8007	14"	1/8"	1"	Concrete Cutting	4,300
DW8011	16"	1/8"	1"	Concrete Cutting	3,800

TYPE 1 - CUTTING WHEELS CHOP SAW & STATIONARY SAW CUTOFF WHEELS

STAINLESS STEEL CUTTING CONTAMINANT FREE



Free of Iron, Sulfur & Chlorine




CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8015	12"	3/32"	1"	Stainless Steel	5,000

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8016	14"	3/32"	1"	Stainless Steel	4,300

TYPE 1 - CUTTING WHEELS ABRASIVE SAW BLADES

METAL CUTTING




CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW3508	6-1/2"	1/8"	5/8"-♦	Metal Cutting	9,400
DW3511	7"	1/8"	5/8"-♦	Metal Cutting	8,700
DW3531	8"	1/8"	5/8"-♦	Metal Cutting	7,600

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Premium ceramic coated grain for faster cutting and longer life.					
DW8056	7"	1/8"	5/8"-♦	Metal Cutting	8,700

TYPE 1 - CUTTING WHEELS ABRASIVE SAW BLADES



CONCRETE/MASONRY CUTTING



CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW3509	6-1/2"	1/8"	5/8"-♦	Concrete/Masonry	9,400
DW3521	7"	1/8"	5/8"-♦	Concrete/Masonry	8,700

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW3532	8"	1/8"	5/8"-♦	Concrete/Masonry	7,600

TYPE 1 - CUTTING WHEELS
THIN CUTOFF WHEELS




METAL CUTTING STAINLESS STEEL

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Metal Cutting – Die Grinder					
DW8700	2-1/2"	.035"	3/8"	Metal Cutting	30,500
DW8701	2-1/2"	.035"	1/4"	Metal Cutting	30,500
DW8702	2-1/2"	.035"	3/8"	Metal Cutting	30,500
DW8703	2 1/2"	.035"	1/4"	Metal Cutting	30,500
DW8704	3"	1/16"	1/4"	Metal Cutting	24,400
DW8705	3"	1/16"	3/8"	Metal Cutting	24,400
DW8706	3"	.035"	3/8"	Metal Cutting	24,400
DW8708	3"	.035"	1/4"	Metal Cutting	24,400
DW8709	3"	1/8"	3/8"	Metal Cutting	24,400
DW8710	3"	1/8"	1/4"	Metal Cutting	24,400
DW8711	3"	1/16"	3/8"	Metal Cutting	24,400
DW8712	3"	.035"	3/8"	Metal Cutting	24,400
DW8713	4"	1/16"	1/4"	Metal Cutting	19,000
DW8715	4"	1/16"	1/4"	Metal Cutting	19,000
DW8716	4"	1/16"	3/8"	Metal Cutting	19,000
DW8717	4"	.035"	3/8"	Metal Cutting	19,000

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
Metal Cutting – Die Grinder (continued)					
DW8718	4"	1/8"	3/8"	Metal Cutting	19,000
DW8719	4"	1/16"	3/8"	Metal Cutting	19,000
DW8720	4"	.035"	3/8"	Metal Cutting	19,000
DW8722	4"	1/16"	5/8"	Metal Cutting	19,000
DW8723	4"	1/16"	5/8"	Metal Cutting	19,000
DW8724	4"	.035"	5/8"	Metal Cutting	19,000
Metal Cutting – Angle Grinder					
DW8061	4"	.045"	5/8"	Metal Cutting	15,200
DW8062	4-1/2"	.045"	7/8"	Metal Cutting	13,300
DW8063	5"	.045"	7/8"	Metal Cutting	13,300
DW8727	6"	.045"	3/8"	Metal Cutting	13,300
DW8725	6"	.040"	7/8"	Metal Cutting	13,300
DW8726	6"	.045"	7/8"	Metal Cutting	13,300
DW8064	6"	.055"	7/8"	Metal Cutting	13,300
DW8065	7"	.055"	7/8"	Metal Cutting	8,700

TYPE 1 - CUTTING WHEELS
THIN CUTOFF WHEELS



CONCRETE CUTTING


CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8071	4"	.045"	5/8"	Concrete Cutting	15,200

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8072	4-1/2"	.045"	7/8"	Concrete Cutting	13,300

TYPE 1 - CUTTING WHEELS
THIN CUTOFF WHEELS



Free of Iron, Sulfur & Chlorine





STAINLESS STEEL CUTTING CONTAMINANT FREE

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8080	4-1/2"	1/8"	7/8"	Stainless Steel	13,300
DW8084	7"	1/8"	7/8"	Stainless Steel	8,700

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8086	9"	1/8"	7/8"	Stainless Steel	6,600

TYPE 1 - CUTTING WHEELS
HIGH SPEED WHEELS




GENERAL PURPOSE

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8020	14"	1/8"	1"	Metal Cutting	5,500
DW8021	14"	1/8"	20mm	Metal Cutting	5,500

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8022	12"	1/8"	1"	Metal Cutting	6,400
DW8023	12"	1/8"	20mm	Metal Cutting	6,400

TYPE 1 - CUTTING WHEELS
HIGH SPEED WHEELS





CONCRETE/MASONRY CUTTING

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8024	14"	1/8"	1"	Concrete Cutting	5,500
DW8025	14"	1/8"	20mm	Concrete Cutting	5,500
DW8026	12"	1/8"	1"	Concrete Cutting	6,400

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8027	12"	1/8"	20mm	Concrete Cutting	6,400
DW8038	14"	3/16"	1" - pin hole	Cured Concrete	4,300
DW8039	14"	3/16"	1" - pin hole	Green Concrete/Asphalt	4,300



TYPE 1 - CUTTING WHEELS HIGH SPEED WHEELS



DUCTILE PIPE CUTTING

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM	CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8030	14"	1/8"	1"	Ductile Cutting	5,500	DW8032	12"	1/8"	1"	Ductile Cutting	6,400
DW8031	14"	1/8"	20mm	Ductile Cutting	5,500	DW8033	12"	1/8"	20mm	Ductile Cutting	6,400


TYPE 1 - CUTTING WHEELS HIGH SPEED WHEELS



ASPHALT CUTTING

CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM	CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW8034	14"	1/8"	1"	Asphalt Cutting	5,500	DW8036	12"	1/8"	1"	Asphalt Cutting	6,400
DW8035	14"	1/8"	20mm	Asphalt Cutting	5,500	DW8037	12"	1/8"	20mm	Asphalt Cutting	6,400

TYPE 29 - ZIRCONIA FLAP DISCS



CAT #	DIA.	ARBOR	GRIT SPECS	MAX RPM	CAT #	DIA.	ARBOR	GRIT SPECS	MAX RPM
DW8300	4"	5/8"	Z36	15,200	DW8318	5"	7/8"	Z80	12,200
DW8302	4"	5/8"	Z60	15,200	DW8319	5"	7/8"	Z120	12,200
DW8303	4"	5/8"	Z80	15,200	DW8332	5"	5/8"-11	Z36	12,200
DW8304	4"	5/8"	Z120	13,300	DW8333	5"	5/8"-11	Z60	12,200
DW8306	4-1/2"	7/8"	Z36	13,300	DW8334	5"	5/8"-11	Z80	12,200
DW8308	4-1/2"	7/8"	Z60	13,300	DW8335	5"	5/8"-11	Z120	12,200
DW8309	4-1/2"	7/8"	Z80	13,300	DW8321	7"	7/8"	Z36	8,700
DW8310	4-1/2"	7/8"	Z120	13,300	DW8323	7"	7/8"	Z60	8,700
DW8311	4-1/2"	5/8"-11	Z36	13,300	DW8324	7"	7/8"	Z80	8,700
DW8312	4-1/2"	5/8"-11	Z60	13,300	DW8325	7"	7/8"	Z120	8,700
DW8313	4-1/2"	5/8"-11	Z80	13,300	DW8327	7"	5/8"-11	Z36	8,700
DW8314	4-1/2"	5/8"-11	Z120	13,300	DW8329	7"	5/8"-11	Z60	8,700
DW8315	5"	7/8"	Z36	12,200	DW8330	7"	5/8"-11	Z80	8,700
DW8317	5"	7/8"	Z60	12,200	DW8331	7"	5/8"-11	Z120	8,700

WIRE BRUSHES

CAT #	DESCRIPTION	FACE WIDTH	TRIM LENGTH	MAX RPM
End Brushes				
DW4900	Spindle Adapter M10 x 1.25 to 5/8-11	-	-	-
DW4901	1" Crimped End Brush/Carbon Steel 1/4" Stem .012"	-	1"	20,000
DW4902	1" Knot End Brush/Carbon Steel 1/4" Stem .020"	-	1"	20,000
DW4903	3" Crimped Flat Faced End Brush/Carbon Steel 1/4" Stem .012"	1/2"	5/8"	20,000
Bench Grinder Brushes				
DW4904	6" Crimped Bench Wire Wheel, 5/8"-1/2" Arbor, Medium Face .014"	3/4"	1-1/8"	6,000
DW4905	6" Crimped Bench Wire Wheel, 5/8"-1/2" Arbor, Wide Face .014"	1"	1-1/8"	6,000
DW4906	8" Crimped Bench Wire Wheel, 5/8" Arbor, Medium Face .014"	3/4"	1-9/16"	4,000
DW4907	8" Crimped Bench Wire Wheel, 5/8" Arbor, Wide Face .014"	1"	1-9/16"	4,000
DW4908	10" Crimped Bench Wire Wheel, 3/4" Arbor, Wide Face .014"	1-9/16"	2-1/2"	3,600
Cup Brushes				
DW4910	3" Knotted Cup Brush/Carbon Steel 5/8"-11 Arbor .020"	-	7/8"	14,000
DW4915	3" Knotted Cup Brush/Carbon Steel 10mm x 1.25 Arbor .020"	-	7/8"	14,000
DW4916	4" Knotted Cup Brush/Carbon Steel 5/8"-11 Arbor .020"	-	1-1/8"	9,000
DW4917	6" Knotted Cup Brush/Carbon Steel 5/8"-11 Arbor .020"	-	1-3/8"	6,600
DW4920	3" Crimped Cup Brush/Carbon Steel 5/8"-11 Arbor .014"	-	13/16"	14,000
DW4922	5" Crimped Cup Brush/Carbon Steel 5/8"-11 Arbor .014"	-	1-3/8"	8,000




WIRE BRUSHES *(continued)*

CAT #	DESCRIPTION	FACE WIDTH	TRIM LENGTH	MAX RPM
Stringer Beads/Cable Twists				
DW4925	4" Stringer Bead Wire Wheel/Carbon Steel 5/8"-11 Arbor .020"	1/4"	3/4"	20,000
DW4926	4" Stringer Bead Wire Wheel (Bulk)/Carbon Steel 5/8"-11 Arbor .020"	1/4"	3/4"	20,000
DW4927*	4" Stringer Bead Wire Wheel (Bulk)/Stainless Steel 5/8"-11 Arbor .020"	1/4"	3/4"	20,000
DW4930	4" Full Cable Twist Wire Wheel/Carbon Steel 5/8"-11 Arbor .020"	1/4"	1"	20,000
DW4935	4" Full Cable Twist Wire Wheel/Carbon Steel 10mm x 1.25 Arbor .020"	1/4"	1"	20,000
DW4936	6" Stringer Bead Wire Wheel (Bulk)/Carbon Steel 5/8"-11 Arbor .020"	1/4"	1-5/16"	12,500
DW4937	6" Full Cable Twist Wire Wheel/Carbon Steel 5/8"-11 Arbor .020"	15/32"	1-3/8"	12,500
DW4938	6" Full Cable Twist Wire Wheel (Bulk)/Carbon Steel 5/8"-11 Arbor .020"	15/32"	1-3/8"	12,500



* For use on stainless steel or aluminum Grinding

FIBER RESIN DISCS



CAT #	DIAMETER	THICKNESS	GRIT	MAX. SPEED	CAT #	DIAMETER	THICKNESS	GRIT	MAX. SPEED
DW4432	4"	5/8"	36	15,200rpm	DW4534	4-1/2"	7/8"	24	13,300rpm
DW4433	4"	5/8"	60	15,200rpm	DW4535	4-1/2"	7/8"	36	13,300rpm
DW4436	4"	5/8"	80	15,200rpm	DW4536	4-1/2"	7/8"	60	13,300rpm
DW4439	4"	5/8"	80	15,200rpm	DW4537	4-1/2"	7/8"	60	13,300rpm
DW4532	4-1/2"	7/8"	24	13,300rpm	DW4538	4-1/2"	7/8"	80	13,300rpm
DW4533	4-1/2"	7/8"	36	13,300rpm	DW4539	4-1/2"	7/8"	80	13,300rpm



SANDER/POLISHER ACCESSORIES

CAT #	DESCRIPTION	DIA.	MAX. SPEED	CAT #	DESCRIPTION	DIA.	MAX. SPEED
Backing Pads				Backing Pads (continued)			
DW4939	Paper Board Backing Pad Only	4-1/2"	16,000	DW4955	"Kool Flex" Backing Pad	6-3/4"	6,000
DW4940	Rubber Backing Pad with M10" x 1.25" Locking Nut	4"	12,000	DW4956	"Kool Flex" Backing Pad	8-7/8"	6,000
DW4942	7/8" Backing Pad with 5/8"-11" Locking Nut	4-1/2"	16,000	DW4990	Super Flex Quick Change Rubber Backing Pad	7"	5,000
DW4945	Rubber Backing Pad with 5/8"-11" Locking Nut	4-1/2"	12,000	Polishing			
DW4947	6-1/2" Quick Change Flex Backing Pad	6-1/2"	8,500	DW4980	5/8" x 1-1/2" Cotton Polishing Buff	6"	
DW4950	Phenolic Disc	5"	6,000	DW4988	Wool Polishing Pad 1-1/2" Pile	7-1/2"	
DW4951	Phenolic Disc	7"	6,000	DW4989	Blend Cutting Pad 1-1/2" Pile	7-1/2"	
DW4952	Phenolic Disc	9"	6,000				

EXTENDED PERFORMANCE PREMIUM DRY CUTTING CONTINUOUS RIM TURBO BLADES



CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM	CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW4700	4"	.080"	5/8", 7/8", 20mm	General Purpose	15,200	DW4703	8"	.090"	5/8", 7/8"◆	General Purpose	7,600
DW4701	4-1/2"	.080"	5/8", 7/8"	General Purpose	13,300	DW4704	12"	.110"	1", 20mm	General Purpose	6,300
DW4702	7"	.090"	5/8", 7/8"◆	General Purpose	8,700						

HIGH PERFORMANCE MASONRY BLADES



CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM	CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW4724	4"	.060"	5/8", 7/8", 20mm	General Purpose	15,200	DW4712	7"	.090"	5/8", 7/8"◆	General Purpose	8,700
DW4725	4-1/2"	.080"	5/8", 7/8"	General Purpose	13,300						

EXTENDED PERFORMANCE PREMIUM DRY CUTTING SEGMENTED RIM BLADES



CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM	CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW4710	4"	0.250"	5/8", 7/8", 20mm	Mortar-Dry Tuck Pointing	15,200	DW4743	12"	0.125"	1", 20mm	Cured Concrete	6,300
DW4711	4"	0.080"	5/8", 7/8", 20mm	General Purpose	15,200	DW4745	12"	0.125"	1", 20mm	Asphalt/Green Concrete	6,300
DW4713	4-1/2"	0.080"	5/8", 7/8"	General Purpose	13,300	DW4742	14"	0.125"	1", 20mm	General Purpose	5,400
DW4714	7"	0.080"	5/8", 7/8"◆	General Purpose	8,700	DW4748	14"	0.125"	1", 20mm	General Purpose Fast Cutting	5,400
DW4716	12"	0.125"	1", 20mm	General Purpose	6,300	DW4744	14"	0.125"	1", 20mm	Cured Concrete	5,400
DW4747	12"	0.125"	1", 20mm	General Purpose Fast Cutting	6,300	DW4746	14"	0.125"	1", 20mm	Asphalt/Green Concrete	5,400

EXTENDED PERFORMANCE PREMIUM TILE BLADES



CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM	WET or DRY	CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM	WET or DRY
DW4729	4"	.060"	5/8", 7/8", 20mm	Ceramic Tile	15,200	Both	DW4761	10"	.080"	5/8"	Ceramic Tile	6,000	Wet
DW4765	4-1/2"	.060"	5/8", 7/8", 20mm	Porcelain Tile	13,300	Both	DW4762	10"	.060"	5/8"	Porcelain	6,000	Wet
DW4760	7"	.060"	5/8"	Ceramic Tile	8,700	Wet	DW4764	10"	.060"	5/8"	Premium Porcelain Tile	6,000	Wet
DW4766	7"	.060"	5/8"	Porcelain Tile	8,700	Wet							

CUP GRINDERS



CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM	CAT #	DIA.	THICKNESS	ARBOR	APPLICATION	MAX RPM
DW4770	4"	5/8"-11	Single	General Purpose	15,000	DW4772	4"	5/8"-11	Double	Heavy Material Removal	15,000
DW4771	7"	5/8"-11	Single	General Purpose	8,600	DW4773	7"	5/8"-11	Double	Heavy Material Removal	8,600