# JAT-601, 1/2" REVERSIBLE AIR DRILL

## 505601

Durable, quality tools that can withstand frequent and rigorous applications, the R6 Series can handle 6 hour workdays and get the job done.



## **FEATURES**

- · Standard keyed chuck
- Sealed Ball bearing design keeps out contaminants promoting smooth operation
- Variable-speed throttle ramps up to maximum RPM for precise speed control
- Side-mounted, forward/reverse switch for quick and easy direction changes
- Auxiliary side handle for increased control
- Lightweight aluminum construction
- Performace @ 90 PSI. Air Inlet NPT 3/8". Min Hose Size 3/8"



## RED ASSURANCE LIFETIME WARRANTY

We are confident of every Air Tool we manufacture. To prove it, we back every Air Tool that bears the JET name with a Lifetime Warranty. The JET Lifetime Warranty covers manufacturer's defects, but does not cover misuse, abuse, accidents, negligence, wear and tear, improper repair or alternations.



# 1 YEAR 'WEAR & TEAR' COVERAGE

JET covers all Air Tool repair costs including parts and labor for the first year of ownership. Proof of purchase is required. JET's 'Wear & Tear' Coverage does not cover misuse, abuse, accidents, negligence, improper maintenance, repair or alterations.

# STAND BEHIND YOUR WORK™



# JAT-601, 1/2" REVERSIBLE AIR DRILL

505601

## **SPECIFICATIONS**

Classification	R 6
Spindle Thread (In./TPI)	3/8"-24
Chuck Size (In.)	1/2
Free Speed (RPM)	800
Horse Power (HP)	0.5
Air Inlet (NPT/In.)	1/4
Air Hose (ID/In.)	3/8
Air Pressure (PSI)	90
Air Consumption (CFM)	4
Sound Pressure (db) (A)	83
Sound Power (db) (A)	101
Vibration Value (m/s²)	0.4
Overall Length (In.)	8-1/4
Weight (Lbs.)	3.75





# JAT-601, 1/2" REVERSIBLE AIR DRILL

505601

## **FULL SERIES**

STOCK NO	MODEL NO	CLASSIFICATION	SPINDLE THREAD (IN./TPI)	CHUCK SIZE (IN.)	FREE SPEED (RPM)	HORSE POWER (HP)
505601	JAT-601	R 6	3/8"-24	1/2	800	0.5
505600	JAT-600	R 6	3/8"-24	3/8	2,000	0.5

